



Hybrids highlighted in GREEN have yields greater than the plot mean

Grain moistures are color coded: Red = driest; Blue = wettest

85 RM	Croplan										Dekalb					NK			Brevant					Pioneer		Mean	LSD(.10)	
	CP2288VT2P/RIB	CP2315VT2P	CP2520RR	CP2587VT2P/RIB	CP2692AS3011A	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P	CP2965RR	CP2965VT2P/RIB	DKC32-12RIB	DKC33-37RIB	DKC35-88RIB	DKC36-86RIB	DKC37-50RIB	NK8519-5222	NK8618-3120A	NK8881-3120A	B83K86AM	B83M75PW	B85R88AM	B86Y02AM	B87R93Q	P8639AM			P8761AM
Evansville Yield	208.6	219.4	216.4	185.9	207.4	235.9	241.2	234.2	240.4	246.0	241.9	201.5	201.5	213.9	239.3	227.5	223.7	230.3	214.2	220.2	216.7	236.0	217.7	210.0	231.9	221.1	224.4	8.7
Evansville Moisture	12.5	12.8	12.6	13.7	14.7	13.2	14.3	12.6	13.4	14.1	13.8	12.2	13.2	13.4	12.7	12.4	14.6	15.2	14.3	12.1	12.4	13.1	13.4	13.3	12.7	12.9	13.4	0.5
Santiago Yield	186.7	211.2	209.0	190.8	219.2	241.0	229.0	234.7	240.1	254.6	247.6	182.0	188.7	210.1	226.2	242.6	221.5	228.1	211.8	229.4	201.6	232.3	226.7	204.5	236.6	238.2	222.1	9.3
Santiago Moisture	18.0	18.2	18.7	18.0	19.3	18.8	19.5	18.4	18.3	18.9	18.7	16.8	18.0	18.1	18.5	18.3	19.3	19.9	19.7	17.8	18.5	18.2	18.3	18.3	18.6	18.7	18.5	0.4
Ulen Yield	191.1	205.8	196.7	191.0	198.2	220.9	205.4	223.6	213.4	213.4	211.8	197.9	204.1	202.2	210.3	215.6	201.4	200.3	183.5	212.0	187.8	228.7	217.7	206.0	209.6	202.7	207.2	8.7
Ulen Moisture	16.7	17.1	17.2	17.2	18.5	17.3	18.4	17.4	16.8	18.2	17.8	16.4	17.0	17.8	17.0	17.3	17.8	19.4	18.6	16.1	16.6	16.8	17.8	17.0	17.4	18.1	17.5	0.5
<b>AVERAGE Yield</b>	<b>195.5</b>	<b>212.1</b>	<b>207.4</b>	<b>189.2</b>	<b>208.3</b>	<b>232.6</b>	<b>225.2</b>	<b>230.8</b>	<b>231.3</b>	<b>238.0</b>	<b>233.8</b>	<b>193.8</b>	<b>198.1</b>	<b>208.7</b>	<b>225.3</b>	<b>228.6</b>	<b>215.5</b>	<b>219.6</b>	<b>203.2</b>	<b>220.5</b>	<b>202.0</b>	<b>232.3</b>	<b>220.7</b>	<b>206.8</b>	<b>226.0</b>	<b>220.7</b>	<b>217.9</b>	
<b>MN Yield Rank</b>	<b>24</b>	<b>16</b>	<b>19</b>	<b>26</b>	<b>18</b>	<b>3</b>	<b>10</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>2</b>	<b>25</b>	<b>23</b>	<b>17</b>	<b>9</b>	<b>7</b>	<b>15</b>	<b>14</b>	<b>21</b>	<b>13</b>	<b>22</b>	<b>4</b>	<b>11</b>	<b>20</b>	<b>8</b>	<b>12</b>		
<b>AVERAGE Moisture</b>	<b>15.7</b>	<b>16.0</b>	<b>16.2</b>	<b>16.3</b>	<b>17.5</b>	<b>16.4</b>	<b>17.4</b>	<b>16.1</b>	<b>16.2</b>	<b>17.1</b>	<b>16.8</b>	<b>15.1</b>	<b>16.1</b>	<b>16.4</b>	<b>16.1</b>	<b>16.0</b>	<b>17.2</b>	<b>18.2</b>	<b>17.5</b>	<b>15.3</b>	<b>15.8</b>	<b>16.0</b>	<b>16.5</b>	<b>16.2</b>	<b>16.2</b>	<b>16.6</b>	<b>16.5</b>	
<b>MN Moisture Rank</b>	<b>24</b>	<b>20</b>	<b>15</b>	<b>12</b>	<b>3</b>	<b>10</b>	<b>4</b>	<b>17</b>	<b>15</b>	<b>6</b>	<b>7</b>	<b>26</b>	<b>18</b>	<b>10</b>	<b>18</b>	<b>22</b>	<b>5</b>	<b>1</b>	<b>2</b>	<b>25</b>	<b>23</b>	<b>21</b>	<b>9</b>	<b>14</b>	<b>13</b>	<b>8</b>		

90 RM	Croplan							Dekalb					NK				Brevant					Pioneer		Mean	LSD(.10)			
	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P	CP2965RR	CP2965VT2P/RIB	CP3240AS3220A-EZ	CP3337VT2P/RIB	DKC39-28RIB	DKC40-45RIB	DKC41-99RIB	DKC42-04RIB	DKC43-10RIB	DKC43-75RIB	NK8881-3120A	NK8920-5122	NK9175-3110A	NK9227-5222A	B87R93Q	B90J97AM	B90R92AM	B91K05Q	B92G08AM	B92W94AM			B94Z97AM	P9188AMXT	P8761AM
Evansville Yield	216.5	205.6	241.2	233.4	229.6	213.4	208.5	230.8	217.6	224.9	222.1	226.4	241.3	216.5	218.5	228.6	256.5	212.7	225.0	228.5	278.8	256.1	251.3	278.4	230.8	219.0	232.3	11.7
Evansville Moisture	14.4	13.2	13.8	14.9	14.0	17.1	15.4	13.1	13.9	14.4	16.3	14.9	14.9	15.1	16.1	15.7	16.3	14.3	14.4	15.2	15.3	15.0	15.3	16.3	14.6	13.4	14.9	0.5
Murdock Yield	221.0	216.7	222.8	228.7	225.9	230.3	219.8	233.6	205.4	223.1	226.3	221.8	241.5	224.3	224.6	245.0	238.8	190.3	209.0	223.7	246.9	242.8	229.7	255.3	216.7	194.4	226.3	8.4
Murdock Moisture	18.1	17.1	17.0	17.4	17.5	19.8	18.4	16.4	17.1	17.3	18.7	18.2	17.5	18.8	19.3	18.3	19.3	17.2	17.5	18.0	18.5	18.3	17.7	19.6	18.6	16.6	18.1	0.5
Santiago Yield	234.4	221.5	231.7	253.6	241.9	215.1	218.4	226.4	233.2	224.6	255.0	236.5	254.9	227.5	210.6	219.5	246.5	198.5	221.1	238.6	270.8	254.6	246.3	268.4	237.5	236.8	238.1	9.3
Santiago Moisture	19.2	18.4	18.6	19.1	19.3	20.5	20.5	18.5	18.5	19.4	20.6	19.5	19.5	20.1	20.3	19.8	20.2	18.9	18.7	19.0	20.1	19.3	18.9	20.1	20.4	18.6	19.5	0.5
Ulen Yield	210.7	204.4	213.1	203.5	199.8	189.5	188.2	223.0	212.9	207.1	210.5	218.0	218.4	200.6	198.9	207.0	213.1	203.2	205.6	220.4	242.9	242.5	228.3	232.9	199.2	205.5	211.2	9.3
Ulen Moisture	18.2	17.6	17.3	18.7	18.2	19.8	18.2	17.1	17.0	17.8	19.3	18.4	19.1	18.2	18.6	18.9	20.8	16.4	18.1	18.3	18.1	18.1	17.9	19.2	18.0	17.7	18.3	0.6
<b>AVERAGE YIELD</b>	<b>220.7</b>	<b>212.1</b>	<b>227.2</b>	<b>229.8</b>	<b>224.3</b>	<b>212.1</b>	<b>208.7</b>	<b>228.5</b>	<b>217.3</b>	<b>219.9</b>	<b>228.5</b>	<b>225.7</b>	<b>239.0</b>	<b>217.2</b>	<b>213.2</b>	<b>225.0</b>	<b>238.7</b>	<b>201.2</b>	<b>215.2</b>	<b>227.8</b>	<b>259.9</b>	<b>249.0</b>	<b>238.9</b>	<b>258.8</b>	<b>221.1</b>	<b>213.9</b>	<b>227.0</b>	
<b>MN Yield Rank</b>	<b>16</b>	<b>24</b>	<b>11</b>	<b>7</b>	<b>14</b>	<b>23</b>	<b>25</b>	<b>9</b>	<b>18</b>	<b>17</b>	<b>8</b>	<b>12</b>	<b>4</b>	<b>19</b>	<b>22</b>	<b>13</b>	<b>6</b>	<b>26</b>	<b>20</b>	<b>10</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>2</b>	<b>15</b>	<b>21</b>		
<b>AVERAGE Moisture</b>	<b>17.5</b>	<b>16.6</b>	<b>16.7</b>	<b>17.5</b>	<b>17.3</b>	<b>19.3</b>	<b>18.1</b>	<b>16.3</b>	<b>16.6</b>	<b>17.2</b>	<b>18.7</b>	<b>17.8</b>	<b>17.8</b>	<b>18.1</b>	<b>18.6</b>	<b>18.2</b>	<b>19.2</b>	<b>16.7</b>	<b>17.2</b>	<b>17.6</b>	<b>18.0</b>	<b>17.7</b>	<b>17.5</b>	<b>18.8</b>	<b>17.9</b>	<b>16.6</b>	<b>17.7</b>	
<b>MN Moisture Rank</b>	<b>16</b>	<b>24</b>	<b>22</b>	<b>15</b>	<b>18</b>	<b>1</b>	<b>7</b>	<b>26</b>	<b>23</b>	<b>19</b>	<b>4</b>	<b>11</b>	<b>11</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>2</b>	<b>21</b>	<b>20</b>	<b>14</b>	<b>9</b>	<b>13</b>	<b>17</b>	<b>3</b>	<b>10</b>	<b>25</b>		



Hybrids highlighted in GREEN have yields greater than the plot mean

Grain moistures are color coded: Red = driest; Blue = wettest

95 RM	Croplan						Dekalb						NK				Brevant					Pioneer			Mean	LSD(.10)		
	CP3499VT2P/RIB	CP3575S5/RIB	CP3575VT2P/RIB	CP3735S5/RIB	CP3735VT2P/RIB	CP3795VT2P/RIB	CP3899VT2P/RIB	DKC43-75RIB	DKC44-80RIB	DKC45-65RIB	DKC45-94RIB	DKC47-27RIB	DKC47-54RIB	NK9468-5122A	NK9535-3220	NK9610-5122	NK9653-5222	NK9738-5222	B94297AM	B95V86AM	B97V84AM	B97G09AM	B98R95AM	P9492AM			P9608Q	P9772AM
Belgrade Yield	214.0	232.0	233.6	255.9	268.2	257.6	263.7	264.7	260.4	250.5	255.7	237.0	255.1	214.5	225.8	240.1	249.1	264.5	262.6	274.0	244.3	278.3	258.8	264.5	256.4	254.6	250.9	10.7
Belgrade Moisture	22.5	21.6	21.3	23.3	22.5	24.6	23.6	20.6	21.7	22.3	22.9	21.6	24.8	22.0	24.5	22.6	21.9	22.0	22.7	22.8	22.0	23.7	23.5	20.6	21.6	24.8	22.7	0.9
Claremont Yield	224.1	241.9	250.7	256.7	254.7	255.1	265.9	252.1	265.3	254.4	254.2	239.5	251.2	206.7	235.7	242.3	230.5	249.9	257.5	274.3	245.8	274.7	260.5	260.9	245.2	265.0	251.2	8.4
Claremont Moisture	17.9	17.6	16.7	19.2	18.1	18.5	18.0	16.0	16.3	17.6	17.4	17.7	18.8	17.4	18.8	17.6	17.9	18.1	17.4	17.8	17.6	17.5	19.2	16.5	16.9	18.4	17.8	0.4
Evansville Yield	210.6	232.4	245.6	264.2	263.0	259.1	247.7	243.5	250.7	227.9	256.8	245.2	245.6	210.3	220.9	229.7	240.2	244.7	253.1	277.0	247.8	271.7	260.2	262.2	249.3	257.5	247.2	10.8
Evansville Moisture	17.0	16.6	17.1	17.7	16.8	17.0	17.1	15.2	14.9	15.8	15.9	16.6	17.6	16.1	17.3	16.6	17.1	16.9	16.6	15.7	17.3	17.2	17.7	15.7	16.5	17.1	16.7	0.6
LeSueur Yield	211.5	225.7	212.7	236.1	229.3	245.2	232.0	248.0	236.1	229.1	240.2	216.3	231.0	208.1	196.9	233.6	223.4	213.8	251.3	240.5	230.1	250.1	250.3	238.4	232.4	242.5	231.4	10.3
LeSueur Moisture	17.6	17.3	16.7	18.4	18.4	20.4	17.8	16.0	16.4	17.1	17.3	17.4	18.9	17.0	18.7	17.9	17.5	18.5	16.9	17.3	17.9	16.8	18.5	15.6	16.1	18.0	17.6	0.5
Minneota Yield	207.9		220.5	233.6	221.1	228.5	233.4	240.4	236.3	235.2	228.1	227.3	229.8	203.5	223.9	215.5	202.5	227.0	236.2	247.8	234.1	237.9	238.0	233.5	233.2	226.7	228.9	7.9
Minneota Moisture	16.8		16.2	17.1	17.1	17.5	17.4	14.7	15.4	16.4	15.9	16.3	18.0	16.1	17.6	15.9	16.6	17.0	16.1	15.7	16.7	16.2	17.2	15.2	14.9	16.2	16.5	0.6
Murdock Yield	210.9	223.2	221.8	254.0	247.2	243.9	247.2	237.6	240.0	231.4	242.7	231.4	244.8	202.2	226.1	231.8	245.6	238.8	246.9	255.6	244.6	261.6	254.2	244.5	248.9	245.6	240.1	8.0
Murdock Moisture	22.2	21.0	19.6	22.4	22.6	23.9	21.8	19.2	19.0	19.7	20.7	20.7	22.0	20.2	22.0	21.4	20.2	21.6	19.7	21.0	19.9	22.0	21.3	18.9	20.4	22.2	21.0	0.8
Santiago Yield	196.7	223.3	224.9	251.9	244.5	241.7	255.1	238.6	243.7	219.5	239.1	230.6	237.3	188.1	223.0	220.1	238.3	231.6	251.1	260.3	242.4	254.4	254.4	247.2	238.3	246.2	236.1	12.2
Santiago Moisture	21.1	20.8	20.4	21.5	21.3	22.2	20.9	19.4	20.4	20.2	20.7	20.7	22.4	20.2	21.4	20.3	20.6	20.3	19.9	20.8	20.4	21.7	21.4	19.6	19.5	21.5	20.8	0.6
Truman Yield	211.9	220.7	214.8	243.6	234.3	233.7	235.9	227.0	238.4	231.1	225.4	211.0	234.7	207.6	229.9	233.6	230.2	233.0	236.5	251.9	235.5	245.9	243.0	245.4	235.6	241.8	232.3	10.5
Truman Moisture	15.1	14.6	14.4	15.1	15.1	16.3	15.1	13.8	13.6	14.4	14.3	14.6	15.7	15.1	16.7	15.0	16.1	15.8	13.9	14.9	15.4	14.4	16.2	13.7	14.2	15.3	15.0	0.5
Wabasso Yield	187.7	199.9	213.5	225.4	220.9	232.1	223.5	220.8	230.7	212.8	223.4	204.3	207.4	194.3	219.8	193.3	219.0	216.5	231.9	251.5	230.1	235.5	236.7	235.6	217.8	230.4	219.5	9.9
Wabasso Moisture	18.2	17.3	17.0	19.1	19.4	20.6	18.5	16.5	17.1	17.3	16.8	17.6	18.7	17.8	19.1	16.9	18.6	18.4	17.5	18.2	18.7	19.3	19.3	17.8	16.4	18.9	18.1	1.0
Wannamingo Yield	236.8	243.3	256.9	266.4	283.5	263.9	270.4	263.8	283.8	264.9	259.1	255.4	277.8	229.6	245.2	254.6	255.1	252.9	288.8	297.1	268.3	291.2	281.5	279.0	254.9	281.6	267.0	8.8
Wannamingo Moisture	19.4	18.0	18.1	20.4	20.0	21.3	19.4	17.2	18.3	18.5	18.9	18.8	20.4	18.7	20.5	19.2	18.7	19.2	18.1	19.2	19.5	18.2	20.3	17.5	17.9	20.0	19.1	0.5
Worthington Yield	181.8		218.7	235.1	221.8	204.9	237.5	228.9	238.1	224.8	228.5	210.8	238.5	246.4	220.4	212.8	225.7	233.5	230.5	248.3	224.7	238.6	240.0	245.7	235.7	219.0	228.6	10.5
Worthington Moisture	12.8		12.5	13.2	12.9	12.6	12.9	11.7	12.0	12.7	12.3	13.1	13.8	12.4	13.3	11.6	13.0	13.5	12.4	12.2	12.8	12.4	13.8	11.7	12.3	12.2	12.7	0.6
<b>AVERAGE YIELD</b>	<b>208.5</b>	<b>226.9</b>	<b>228.5</b>	<b>247.5</b>	<b>244.4</b>	<b>242.3</b>	<b>246.6</b>	<b>242.3</b>	<b>247.6</b>	<b>234.7</b>	<b>241.2</b>	<b>228.1</b>	<b>241.2</b>	<b>210.1</b>	<b>224.3</b>	<b>227.9</b>	<b>232.7</b>	<b>236.9</b>	<b>249.7</b>	<b>261.7</b>	<b>240.7</b>	<b>258.2</b>	<b>252.5</b>	<b>250.6</b>	<b>240.7</b>	<b>246.4</b>	<b>239.4</b>	
<b>MN Yield Rank</b>	<b>26</b>	<b>23</b>	<b>20</b>	<b>7</b>	<b>10</b>	<b>11</b>	<b>8</b>	<b>12</b>	<b>6</b>	<b>18</b>	<b>14</b>	<b>21</b>	<b>13</b>	<b>25</b>	<b>24</b>	<b>22</b>	<b>19</b>	<b>17</b>	<b>5</b>	<b>1</b>	<b>15</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>16</b>	<b>9</b>		
<b>AVERAGE Moisture</b>	<b>18.2</b>	<b>18.3</b>	<b>17.3</b>	<b>18.9</b>	<b>18.6</b>	<b>19.5</b>	<b>18.4</b>	<b>16.4</b>	<b>16.8</b>	<b>17.5</b>	<b>17.6</b>	<b>17.7</b>	<b>19.2</b>	<b>17.5</b>	<b>19.1</b>	<b>17.7</b>	<b>18.0</b>	<b>18.3</b>	<b>17.4</b>	<b>17.8</b>	<b>18.0</b>	<b>18.1</b>	<b>18.9</b>	<b>16.6</b>	<b>17.0</b>	<b>18.6</b>	<b>18.0</b>	
<b>MN Moisture Rank</b>	<b>11</b>	<b>9</b>	<b>22</b>	<b>5</b>	<b>7</b>	<b>1</b>	<b>8</b>	<b>26</b>	<b>24</b>	<b>20</b>	<b>18</b>	<b>16</b>	<b>2</b>	<b>19</b>	<b>3</b>	<b>17</b>	<b>14</b>	<b>10</b>	<b>21</b>	<b>15</b>	<b>13</b>	<b>12</b>	<b>4</b>	<b>25</b>	<b>23</b>	<b>6</b>		



Hybrids highlighted in GREEN have yields greater than the plot mean

Grain moistures are color coded: Red = driest; Blue = wettest

100 RM	Croplan							Dekalb						NK				Brevant				Pioneer			Mean	LSD(.10)	
	CP3899VT2P/RIB	CP3909SS/RIB	CP4079VT2P/RIB	CP4188SS/RIB	CP4188VT2P/RIB	CP4199SS/RIB	CP4203SS/RIB	CP4265VT2P	DKC47-55RIB	DKC48-95RIB	DKC49-44RIB	DKC51-91RIB	DKC51-98RIB	DKC52-34RIB	NK9930-5122	NK9991-5122	NK0243-5122	NK0472-5222	B98R95AM	B99J08AM	B00K94AMXT	B01Z88Q	P9880AMXT	P9998Q			P0075Q
Belgrade Yield	257.1	259.6	253.4	272.5	281.4	212.5	250.8	250.3	252.9	257.8	251.7	253.9	251.1	247.8	250.3	250.3	247.9	257.9	275.5	265.6	279.0	268.4	270.9	269.1	271.8	259.5	10.2
Belgrade Moisture	23.0	22.2	23.5	23.4	23.3	25.8	26.3	23.3	23.6	23.3	24.1	24.6	23.3	25.3	25.1	24.8	25.5	26.8	24.0	25.1	25.2	24.6	24.1	24.8	27.1	24.4	0.8
Claremont Yield	255.7	253.8	261.0	262.0	269.3	232.1	258.3	247.0	249.0	255.2	248.0	250.9	256.2	249.0	241.0	241.7	258.3	252.4	259.6	257.0	270.9	275.5	256.5	248.3	260.7	255.8	8.4
Claremont Moisture	18.3	17.9	18.7	18.7	19.3	20.1	19.4	18.9	18.6	17.9	19.5	19.4	18.8	19.3	19.9	19.7	18.7	21.2	19.5	19.4	19.9	19.4	19.5	18.9	20.4	19.2	0.5
LeSueur Yield	233.7	236.9	241.7	254.0	260.4	211.3	246.0	237.1	221.6	240.6	225.8	263.9	243.5	231.7	236.6	237.8	231.9	241.7	240.7	254.9	249.1	245.5	235.4	236.4	248.9	240.7	10.3
LeSueur Moisture	18.0	17.5	18.2	18.6	19.2	20.3	19.4	17.8	19.4	18.4	19.2	19.3	18.2	20.5	20.2	20.2	19.4	22.4	18.9	19.5	19.9	19.2	18.8	19.3	19.8	19.2	0.6
Minneota Yield	218.9	234.2	231.7	228.5	258.3	213.2	234.9	226.7	220.0	228.7	230.2	226.5	229.8	215.9	209.0	202.6	218.9	215.2	222.4	230.3	233.2	217.8	228.0	227.4	238.1	227.2	8.7
Minneota Moisture	17.4	16.7	18.2	17.7	18.0	19.2	17.9	18.3	17.8	17.1	18.6	18.3	17.1	19.1	18.3	17.7	18.8	20.7	16.9	18.2	18.6	16.7	16.8	17.3	19.0	18.0	0.7
Murdock Yield	238.0	239.0	253.8	259.9	265.7	220.1	250.3	245.3	237.6	252.7	237.3	244.6	251.7	237.1	239.7	247.4	229.5	235.6	260.6	261.8	264.2	255.2	261.3	260.9	268.8	248.5	8.9
Murdock Moisture	21.6	21.0	23.3	23.2	24.0	24.6	23.8	21.5	23.2	21.3	23.4	23.3	22.6	23.2	25.7	24.6	23.5	28.9	22.3	23.3	24.8	25.0	24.2	23.9	27.2	23.6	1.2
Truman Yield	226.7	231.5	228.8	243.4	246.4	215.2	248.1	228.7	224.3	221.8	219.0	238.7	234.2	229.4	243.1	240.6	238.2	239.9	242.0	237.0	249.8	261.7	253.7	257.2	254.9	238.6	10.1
Truman Moisture	15.0	15.1	15.0	15.7	15.4	16.6	16.6	16.0	15.6	15.1	15.9	15.7	14.8	16.9	17.5	18.6	16.9	19.4	16.4	17.4	17.7	16.2	16.1	16.3	16.7	16.2	0.7
Wabasso Yield	230.1	235.8	235.8	230.3	252.7	219.7	248.8	211.9	229.1	223.8	224.2	219.4	235.9	223.8	201.3	226.1	249.5	229.4	249.9	255.5	245.9	255.9	249.6	246.0	256.0	237.1	9.9
Wabasso Moisture	19.6	18.6	19.2	19.8	20.4	22.2	22.1	19.2	19.8	19.1	20.9	19.7	19.3	21.5	20.1	21.8	20.3	23.8	20.5	21.9	20.7	21.2	21.3	20.5	23.7	20.7	1.2
Wannamingo Yield	275.5	272.5	274.2	282.8	283.1	235.8	278.0	271.6	264.2	267.1	267.4	279.7	280.9	264.4	272.7	269.5	269.0	276.0	284.6	293.2	278.3	299.8	286.7	283.6	281.0	276.2	8.9
Wannamingo Moisture	19.6	19.5	19.2	20.3	20.4	21.7	21.4	19.8	21.0	19.6	20.8	20.2	20.2	20.4	22.3	21.3	21.5	23.2	20.6	20.7	21.3	20.6	20.4	20.7	21.8	20.6	0.5
Worthington Yield	224.3	243.4	214.4	244.9	247.7	219.1	249.4	221.9	225.6	222.8	218.1	226.7	247.3	225.8	221.3	220.0	235.1	247.6	232.1	252.1	242.4	244.1	232.3	245.0	249.6	234.6	11.5
Worthington Moisture	12.9	13.3	12.3	13.3	13.8	16.2	14.2	13.0	13.3	12.8	13.5	14.2	13.6	14.0	14.9	14.6	13.1	18.2	14.0	14.8	14.0	14.0	13.6	14.2	14.4	13.9	0.9
<b>AVERAGE YIELD</b>	<b>240.0</b>	<b>245.2</b>	<b>243.9</b>	<b>253.1</b>	<b>262.8</b>	<b>219.9</b>	<b>251.6</b>	<b>237.8</b>	<b>236.0</b>	<b>241.2</b>	<b>235.7</b>	<b>244.9</b>	<b>247.8</b>	<b>236.1</b>	<b>235.0</b>	<b>237.3</b>	<b>242.0</b>	<b>244.0</b>	<b>251.9</b>	<b>256.4</b>	<b>257.0</b>	<b>258.2</b>	<b>252.7</b>	<b>252.7</b>	<b>258.9</b>	<b>246.5</b>	
<b>MN Yield Rank</b>	<b>18</b>	<b>12</b>	<b>15</b>	<b>6</b>	<b>1</b>	<b>25</b>	<b>10</b>	<b>19</b>	<b>22</b>	<b>17</b>	<b>23</b>	<b>13</b>	<b>11</b>	<b>21</b>	<b>24</b>	<b>20</b>	<b>16</b>	<b>14</b>	<b>9</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>7</b>	<b>8</b>	<b>2</b>		
<b>AVERAGE Moisture</b>	<b>18.4</b>	<b>18.0</b>	<b>18.6</b>	<b>19.0</b>	<b>19.3</b>	<b>20.7</b>	<b>20.1</b>	<b>18.6</b>	<b>19.1</b>	<b>18.3</b>	<b>19.5</b>	<b>19.4</b>	<b>18.7</b>	<b>20.0</b>	<b>20.4</b>	<b>20.4</b>	<b>19.7</b>	<b>22.7</b>	<b>19.2</b>	<b>20.0</b>	<b>20.2</b>	<b>19.7</b>	<b>19.4</b>	<b>19.5</b>	<b>21.1</b>	<b>19.5</b>	
<b>MN Moisture Rank</b>	<b>23</b>	<b>25</b>	<b>22</b>	<b>19</b>	<b>16</b>	<b>3</b>	<b>7</b>	<b>21</b>	<b>18</b>	<b>24</b>	<b>12</b>	<b>15</b>	<b>20</b>	<b>9</b>	<b>4</b>	<b>5</b>	<b>10</b>	<b>1</b>	<b>17</b>	<b>8</b>	<b>6</b>	<b>11</b>	<b>14</b>	<b>13</b>	<b>2</b>		



Hybrids highlighted in GREEN have yields greater than the plot mean

Grain moistures are color coded: Red = driest; Blue = wettest

105 RM	Croplan				Dekalb						NK						Brevant					Pioneer			Mean	LSD(.10)
	CP4444VT2P/RIB	CP4488S5/RIB	CP4676S5/RIB	CP4791AS3111	DKC53-27RIB	DKC54-64RIB	DKC55-53RIB	DKC56-15RIB	DKC56-65RIB	DKC57-23RIB	NK0440-3122	NK0472-5222	NK0624-5222	NK0760-3111	NK0821-5122A	NK0886-5122	B03R87Q	B04Z92AM	B04H94Q	B06F91Q	B07H01AM	P0339Q	P0421Q	P0720Q		
Claremont Yield	264.4	255.9	248.5	250.5	251.3	262.2	241.7	268.1	259.5	272.6	246.3	226.1	249.6	260.9	258.9	246.7	259.2	237.3	244.6	262.4	273.3	248.8	257.4	269.0	255.3	8.4
Claremont Moisture	19.9	21.1	21.8	22.0	21.2	20.6	21.0	22.1	22.8	21.3	20.8	21.4	21.1	22.3	22.7	23.0	21.0	21.9	21.2	22.2	23.4	20.5	20.2	23.0	21.5	0.6
LeSueur Yield	243.7	258.9	264.9	246.2	226.1	256.0	240.6	250.2	250.6	277.9	229.3	247.3	241.6	259.3	252.2	243.1	276.0	257.0	258.3	269.9	251.2	261.4	261.5	275.6	253.7	10.0
LeSueur Moisture	20.6	22.6	21.4	22.6	21.2	20.4	20.7	22.2	23.2	22.5	21.4	22.2	21.4	22.9	25.2	24.1	21.6	21.7	21.0	22.4	23.6	21.1	20.2	23.4	22.0	0.7
Minneota Yield	235.6	226.7	232.6	216.8	213.1	229.3	218.9	245.3	250.6	258.1	224.1	206.9	218.4	228.7	212.1	223.4	213.1	226.9	219.5	239.5	234.0	219.6	227.7	248.6	227.7	11.9
Minneota Moisture	20.2	19.8	21.8	21.5	20.0	20.2	20.1	21.1	21.0	21.6	19.7	20.4	20.3	20.6	21.6	22.5	18.6	21.3	19.4	20.7	22.0	17.9	18.9	22.6	20.5	1.2
Truman Yield	245.5	252.7	256.7	235.2	222.7	247.6	245.2	237.6	252.2	269.6	257.0	235.8	226.4	248.9	226.3	243.8	256.1	232.0	238.6	263.9	283.7	252.7	246.6	271.1	247.6	14.6
Truman Moisture	17.1	19.4	19.4	19.2	17.1	18.0	18.7	18.2	20.4	19.4	19.5	20.3	19.4	19.5	24.7	22.7	19.2	19.5	18.9	20.5	22.2	18.4	18.6	21.3	19.5	1.0
Wabasso Yield	240.3	241.0	263.7	238.7	214.3	232.8	237.1	244.5	238.2	247.3	246.5	203.5	226.1	238.4	234.9	221.8	240.8	225.3	231.0	248.0	244.7	222.2	234.0	255.1	235.7	9.8
Wabasso Moisture	20.8	23.1	24.8	26.2	20.8	21.6	22.8	22.6	25.0	26.1	22.6	22.2	22.4	25.0	29.2	27.1	22.6	23.9	23.8	24.1	27.5	22.3	21.6	26.8	23.7	1.6
Worthington Yield	251.3	246.3	241.2	238.1	216.1	268.6	236.1	255.2	253.0	244.8	245.2	229.4	226.5	259.3	241.3	223.1	235.3	223.7	238.4	245.1	252.0	231.0	238.9	247.4	240.5	12.6
Worthington Moisture	14.2	16.7	16.2	16.2	14.5	15.6	15.2	16.4	18.4	15.3	15.8	16.5	16.1	16.7	17.8	19.0	14.1	16.4	15.4	16.6	18.0	14.9	15.0	18.3	16.0	1.1
<b>AVERAGE YIELD</b>	<b>246.8</b>	<b>246.9</b>	<b>251.3</b>	<b>237.6</b>	<b>223.9</b>	<b>249.4</b>	<b>236.6</b>	<b>250.2</b>	<b>250.7</b>	<b>261.7</b>	<b>241.4</b>	<b>224.8</b>	<b>231.4</b>	<b>249.3</b>	<b>237.6</b>	<b>233.7</b>	<b>246.8</b>	<b>233.7</b>	<b>238.4</b>	<b>254.8</b>	<b>256.5</b>	<b>239.3</b>	<b>244.4</b>	<b>261.1</b>	<b>243.4</b>	
<b>MN Yield Rank</b>	<b>11</b>	<b>10</b>	<b>5</b>	<b>18</b>	<b>24</b>	<b>8</b>	<b>19</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>14</b>	<b>23</b>	<b>22</b>	<b>9</b>	<b>17</b>	<b>21</b>	<b>12</b>	<b>20</b>	<b>16</b>	<b>4</b>	<b>3</b>	<b>15</b>	<b>13</b>	<b>2</b>		
<b>AVERAGE Moisture</b>	<b>18.8</b>	<b>20.5</b>	<b>20.9</b>	<b>21.3</b>	<b>19.1</b>	<b>19.4</b>	<b>19.8</b>	<b>20.4</b>	<b>21.8</b>	<b>21.0</b>	<b>20.0</b>	<b>20.5</b>	<b>20.1</b>	<b>21.2</b>	<b>23.5</b>	<b>23.1</b>	<b>19.5</b>	<b>20.8</b>	<b>20.0</b>	<b>21.1</b>	<b>22.8</b>	<b>19.2</b>	<b>19.1</b>	<b>22.6</b>	<b>20.5</b>	
<b>MN Moisture Rank</b>	<b>24</b>	<b>13</b>	<b>10</b>	<b>6</b>	<b>22</b>	<b>20</b>	<b>18</b>	<b>14</b>	<b>5</b>	<b>9</b>	<b>16</b>	<b>12</b>	<b>15</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>19</b>	<b>11</b>	<b>17</b>	<b>8</b>	<b>3</b>	<b>21</b>	<b>23</b>	<b>4</b>		