



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CZ1139GTLL	77.2	11.1	57.3	694.38
CP1111X	76.8	10.4	54.5	691.57
P10A76X	76.3	10.8	55.2	686.74
CZ1280GTLL	76.2	10.6	55.5	685.97
S14-U9X	76.1	10.6	56.2	685.10
S12-TX2	73.2	10.8	56.2	658.81
CP1329E	71.2	11.1	55.8	640.38
AG14X8	71.1	11.1	56.3	640.35
P14A30X	69.6	10.6	54.9	626.24
S13-E3	69.5	11.2	55.8	625.32
CP1420E	69.4	11.0	55.8	624.66
CP0970X	66.6	10.8	55.2	598.99
AG09X9	65.9	10.7	56.0	593.43
B119EE	65.7	10.9	55.8	591.64
B130EE	65.5	11.0	56.1	589.67
CP1100X	64.8	10.6	54.8	583.28
CZ1470GTLL	64.3	11.7	58.0	579.00
AG14X0	63.5	10.4	54.9	571.13
CP1120E	63.1	11.2	58.7	567.72
CP1121E	62.1	10.8	56.1	558.60
Mn	68.6	10.8	55.8	617.45
CVErr	5.008	1.879	1.165	5.008
LSD(.10)	5.8	0.3	1.1	52.48
#Reps	2	2	2	2

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
10/8/2020	Location: Chilton-WI	Trial: SPT-16		
P15A88X	75.9	10.6	55.7	683.30
CZ1660GTLL	75.5	10.4	55.3	679.81
AG14X8	72.7	10.5	55.3	653.96
S16-K2X	70.7	10.9	56.5	636.12
CP1600X	69.4	10.6	55.2	624.27
CP1329E	69.2	10.7	54.7	622.49
CP1420E	68.6	10.9	55.9	617.83
B149EE	68.3	10.8	56.7	614.73
P14A30X	68.2	10.4	54.8	613.49
P16T58E	67.4	10.7	55.7	607.01
S18-H3X	66.8	11.0	55.6	601.19
CP1659LG	66.4	10.8	55.6	597.85
AG17X8	65.8	10.9	55.0	592.11
CP1611X	65.5	11.1	55.5	589.82
CP1400X	65.3	10.7	55.7	587.62
B169EE	64.6	10.9	55.6	581.56
CP1721E	62.4	10.7	55.7	561.17
AG14X0	61.8	10.7	47.9	556.12
S18-G4X	61.2	11.2	56.6	551.08
AG18X0	61.0	10.7	54.3	548.70
CZ1850GTLL	59.6	10.6	56.0	536.46
AG16X0	59.5	10.9	55.6	535.38
S17-E3	58.6	11.3	58.1	527.42
B159RX	57.3	10.9	56.0	515.85
P16A49X	51.5	11.2	51.8	463.70
CZ1470GTLL	50.5	11.6	56.7	454.12
Mn	64.9	10.8	55.3	584.22
CVErr	4.675	1.381	4.566	4.674
LSD(.10)	5.1	0.3	4.3	46.34
#Reps	2	2	2	2

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

10/8/2020	Location: Chilton-WI	Trial: SPT-20			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
P21A28X	71.6	10.8	54.4	644.36	
P19A14X	69.2	10.6	54.7	622.35	
CZ1859GTLL	66.7	10.7	56.3	600.40	
AG21X9	63.7	10.9	54.6	573.27	
P18A98X	63.6	10.7	55.7	572.63	
CP1960X	62.9	10.7	55.1	565.88	
B228RX	62.9	11.7	54.8	565.73	
AG18X0	61.1	10.8	55.1	550.28	
CP1721E	60.6	10.7	55.3	545.13	
AG20X9	59.5	10.8	55.1	535.49	
CP1827X	58.1	11.1	56.0	522.60	
P20T64E	57.6	11.4	55.5	518.55	
CZ2040GTLL	57.3	10.6	55.1	515.79	
S20-J5X	56.8	10.6	54.3	511.03	
CP1820E	55.9	10.8	55.7	503.22	
B210EE	55.6	11.3	54.7	499.99	
AG22X9	55.4	11.0	55.3	498.80	
S21-W8X	55.4	10.9	54.8	498.36	
CP2120E	54.8	10.9	55.2	493.41	
CP2128X	54.8	11.1	54.6	493.58	
CP2021E	53.2	11.0	54.0	478.36	
AG19X0	53.2	11.3	55.0	478.42	
S20-E3	52.6	11.4	54.5	473.83	
S22-E3	51.1	10.8	54.7	459.69	
B209EE	50.7	11.1	54.9	456.39	
CZ2230GTLL	49.8	11.6	54.1	448.00	
Mn	58.4	11.0	55.1	525.99	
CVErr	6.215	2.534	1.826	6.210	
LSD(.10)	6.2	0.5	1.7	55.44	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

10/8/2020	Location: Chilton-WI	Trial: SPT-24			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
CP2400X	76.7	11.6	56.1	690.62	
P23A15X	76.3	11.3	54.3	686.44	
AG23X9	73.2	10.9	54.0	659.25	
CP2200X	71.7	11.2	55.2	645.61	
CZ2360GTLL	71.1	11.0	56.8	639.67	
S25-V8X	71.1	12.0	54.8	640.24	
S23-G5X	70.5	10.9	55.1	634.74	
CP2521E	70.2	12.4	54.1	632.21	
P25A27X	69.4	11.2	54.6	624.39	
AG26X8	69.0	12.8	53.9	620.65	
CP2578X	68.9	11.6	55.5	619.79	
CP2128X	68.4	10.9	54.7	616.03	
AG26X0	68.0	11.9	54.9	612.34	
B269EE	67.8	12.6	54.4	610.00	
P24A80X	67.8	11.4	55.3	610.25	
S26-E3	66.7	11.4	53.5	600.30	
P24T76E	66.6	11.3	56.1	599.29	
CP2520E	65.7	11.9	53.5	590.91	
CZ2550GTLL	65.0	11.2	55.1	585.03	
AG22X9	64.8	10.9	55.5	582.83	
P23A32X	62.9	11.4	54.9	566.16	
B259EE	62.6	12.4	53.0	563.62	
S24-E3	60.4	11.5	57.2	543.89	
CZ2230GTLL	60.0	11.4	55.4	539.62	
P22T86E	59.6	10.8	53.8	536.46	
CP2321E	59.1	11.2	55.2	531.59	
B240EE	58.4	11.7	53.5	525.38	
CP2529E	57.0	11.0	53.4	513.38	
Mn	67.1	11.5	54.9	603.78	
CVErr	4.525	3.645	1.387	4.526	
LSD(.10)	5.2	0.7	1.3	46.38	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
By WINFIELD UNITED
YIELD REPORT 2020

Location: Chilton, Wisconsin																					
Trial: S-100		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
CP3899VT2P/RIB	96	38.5	63.5	39095	3386	50.5	37.1	37.0	6.6	81.3	71.6	36.9	64.0	37748	3416	51.2	37.4	36.2	6.6	80.9	72.2
CP4100SVT2P/RIB	101	38.4	66.2	39043	3397	51.5	39.0	32.5	6.8	80.0	72.7	38.3	64.9	38853	3378	51.6	38.2	33.7	6.7	80.3	72.5
CP4079VT2P/RIB	100	38.3	64.0	39481	3433	50.9	36.7	38.2	6.6	81.3	72.1	35.4	63.8	36166	3397	50.9	37.2	37.0	6.7	81.1	71.9
B01T78SX	101	37.9	66.2	37561	3297	51.1	40.1	30.8	6.8	79.5	71.4	37.3	66.7	37378	3338	51.4	39.0	31.4	6.8	80.0	72.0
NK0243-5122	102	37.6	66.7	39063	3472	52.0	38.4	33.4	6.8	80.1	73.7	35.2	67.6	36122	3424	52.4	38.1	32.4	6.9	80.1	73.2
B03R87Q	103	37.5	68.4	40172	3571	52.2	38.6	33.8	6.8	79.9	74.5	38.4	68.6	41375	3582	52.7	37.8	34.3	6.8	80.1	75.1
NK9991-5122	99	37.4	66.3	39296	3493	51.1	37.9	34.4	7.0	80.7	73.5	36.5	66.8	37640	3423	51.7	38.2	32.7	7.0	80.3	73.0
P9870AM	98	37.3	64.7	38752	3460	51.6	37.3	35.5	6.9	80.8	72.9	34.5	64.4	35325	3413	51.8	37.1	34.9	6.9	80.8	72.9
P9998Q	99	37.3	65.9	39412	3536	51.9	37.1	36.1	6.9	80.8	73.8	33.9	65.9	35694	3517	51.9	37.6	35.4	7.1	80.5	73.7
CP4099SS/RIB	99	37.2	63.2	37681	3380	50.8	37.0	37.1	6.6	81.3	71.6	32.7	63.0	32563	3324	51.9	36.9	34.6	7.1	80.9	71.8
DKC51-38RIB	101	37.2	66.4	38631	3464	50.9	38.5	33.8	6.8	80.4	73.2	36.0	66.9	37734	3493	51.6	37.9	34.0	6.8	80.5	73.6
CP4265VT2P	102	37.1	63.7	37678	3394	51.2	37.1	36.1	6.7	81.1	72.1	36.3	64.4	37048	3399	51.7	37.7	34.5	6.8	80.5	72.7
CP4188VT2P/RIB	101	37.0	65.3	38292	3450	50.2	37.6	37.5	6.7	81.2	72.4	36.7	64.7	37908	3448	51.4	37.6	36.0	6.8	80.7	72.6
CP4203SS/RIB	102	37.0	66.9	39102	3523	51.0	38.6	34.3	6.9	80.3	73.5	34.1	66.6	35936	3523	51.5	38.5	34.3	6.9	80.2	73.7
DKC48-56RIB	98	36.9	61.8	36252	3267	50.0	37.5	37.1	6.6	81.3	70.1	38.8	61.5	38089	3258	50.7	37.7	35.2	6.8	81.0	70.3
DKC49-44RIB	99	36.9	64.0	37249	3356	50.9	38.5	34.6	6.7	80.5	71.7	35.0	64.0	35695	3400	51.5	37.4	35.1	6.8	80.8	72.4
P0075Q	100	36.8	66.9	39860	3600	52.3	37.3	36.1	6.9	80.5	74.6	37.3	68.0	40261	3595	52.7	37.4	34.6	6.9	80.3	75.1
CP4188SS/RIB	101	36.7	60.8	35180	3197	49.2	37.3	38.3	6.7	81.7	69.1	35.8	62.3	35597	3313	50.7	37.5	36.9	6.8	81.1	70.8
B02V87AM	102	36.6	68.0	39926	3630	51.7	37.1	36.7	6.8	80.8	74.9	37.0	68.2	39767	3584	52.6	37.1	34.7	6.9	80.5	75.1
B01T97SX	101	36.5	67.5	38156	3498	50.9	40.1	33.1	6.7	79.7	73.3	35.3	66.6	36072	3418	51.3	40.0	32.1	6.7	79.5	72.8
DKC51-91RIB	101	36.3	63.2	37253	3418	51.5	36.0	38.6	6.6	81.5	72.2	34.7	64.7	36459	3489	51.6	36.3	37.9	6.7	81.3	73.1
NK9930-5122	99	36.1	62.8	35680	3290	49.1	38.3	35.4	6.9	81.3	70.2	34.7	65.4	35468	3413	50.2	38.7	33.8	7.1	80.6	72.2
CP4199SS/RIB	101	34.2	65.0	35366	3435	50.5	37.8	36.1	6.8	81.0	72.3	33.5	64.9	34485	3432	51.4	37.9	34.8	6.9	80.6	72.7
Mn		37.3	65.1	38426	3436	50.9	37.8	35.6	6.7	80.7	72.5	36	65.3	37070	3429	51.4	37.8	34.6	6.8	80.5	72.7
LSD(.10)		2.3	2	2448	108	0.7	1.4	2	0.1	0.8	1.5	2.5	1.3	2471	74	0.7	1.1	1.5	0.2	0.7	0.9
CVerr		3.68	1.85	3.753	1.85	0.85	2.25	3.29	1.23	0.58	1.21	4.07	1.16	3.928	1.275	0.77	1.7	2.53	1.46	0.5	0.75


WINFIELD UNITED

CROPLAN
By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE



Relationship Between Yield and Milk/Ton in the S-100 Trial 38,000 ppa at Chilton, Wisconsin



**WINFIELD
UNITED**



Learn more about our brands at
winfieldunited.com


Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot®
By WINFIELD UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-100 Trial 30,000 ppa at Chilton, Wisconsin




WINFIELD UNITED

CROPLAN
By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-100 Trial 30,000 ppa at Chilton, Wisconsin



WINFIELD UNITED

CROPLAN
 By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
By WINFIELD UNITED
YIELD REPORT 2020


Location: Chilton, Wisconsin																					
Trial: S-105		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
B06F91Q	106	40.0	66.1	41188	3434	52.5	38.1	33.5	6.9	80.0	73.3	35.3	67.1	36715	3481	53.2	37.6	33.2	6.9	80.0	73.9
CP4444VT2P/RIB	104	39.6	63.0	40327	3388	51.2	37.0	36.6	6.6	81.1	71.6	38.1	64.0	39016	3408	52.1	37.2	35.2	6.7	80.7	72.5
B08J81AMXT	108	38.5	64.9	39293	3399	52.6	37.8	33.9	6.7	80.2	72.8	36.3	68.5	37431	3433	53.4	38.4	31.6	7.1	79.5	73.4
DKC56-45RIB	106	38.4	66.4	40753	3528	51.9	37.8	34.7	6.9	80.4	73.9	37.7	65.7	38823	3434	52.3	37.8	33.7	6.8	80.2	73.3
CP4549VT2P/RIB	105	38.3	60.3	37078	3224	50.0	36.4	37.6	6.5	81.8	69.5	33.8	59.1	31401	3095	50.8	37.4	34.6	6.6	81.0	68.8
CP4600SSS/RIB	106	38.1	62.8	36525	3190	51.4	39.0	31.9	6.8	80.0	70.1	36.1	66.0	35305	3268	51.9	39.6	30.2	7.1	79.5	71.2
CP4819AS3000G	103	38.1	61.6	37246	3250	50.9	39.0	33.9	6.6	80.2	70.1	38.5	63.3	39109	3386	51.5	37.6	35.7	6.7	80.7	71.8
DKC54-64RIB	104	37.6	65.4	39152	3464	51.5	38.3	34.5	6.8	80.3	72.9	36.9	66.8	38412	3477	52.0	38.2	33.5	6.9	80.2	73.7
DKC54-38RIB	104	37.2	64.1	38072	3415	51.1	37.6	35.7	6.7	80.8	72.1	35.0	64.6	36038	3418	51.7	38.0	34.5	6.8	80.4	72.6
P0306Q	103	36.6	65.9	38916	3538	52.2	37.5	35.6	6.9	80.5	73.8	35.2	65.7	36400	3450	53.1	37.8	33.7	6.9	80.0	73.5
CP4676SS/RIB	104	36.5	67.7	38569	3521	53.0	38.2	33.3	6.8	79.8	74.4	32.2	67.9	34068	3511	53.5	38.5	32.8	6.7	79.5	74.4
DKC53-27RIB	103	36.4	62.6	36459	3329	51.3	36.9	35.6	6.6	81.1	71.6	35.0	63.4	34785	3312	51.8	37.6	34.2	6.7	80.6	71.7
B03R87Q	103	36.3	68.1	38614	3551	52.5	39.4	32.9	6.7	79.4	74.5	35.2	67.0	36891	3481	53.8	38.5	32.6	6.9	79.3	74.0
CP4791AS3111	107	36.1	67.1	37934	3496	52.5	38.0	33.4	6.9	80.1	74.0	36.0	66.5	36855	3413	52.9	38.4	32.4	6.9	79.8	73.0
NK0472-5222	104	36.0	62.2	34308	3190	50.0	39.5	32.3	6.9	80.3	70.0	35.7	64.5	35369	3306	51.1	38.8	32.5	7.0	80.2	71.5
NK0440-3122	104	35.8	66.5	36861	3428	51.8	39.7	32.3	6.9	79.5	73.0	37.2	64.6	37314	3344	52.6	38.4	32.6	7.0	79.8	72.2
P0339Q	103	35.5	65.6	37341	3491	51.7	37.9	35.2	6.9	80.5	73.2	35.6	66.2	37986	3552	52.3	37.6	35.4	6.9	80.3	74.1
CP4488SS/RIB	104	35.2	64.0	35905	3401	51.0	38.3	35.2	6.6	80.5	71.8	34.0	65.7	35522	3482	51.5	37.9	34.7	6.9	80.5	73.3
B04H94Q	104	34.6	64.2	34866	3369	52.1	37.9	33.9	6.9	80.3	72.1	32.4	64.1	32754	3376	53.0	36.3	34.6	7.1	80.8	72.6
DKC55-37RIB	105	34.5	63.9	35271	3406	51.7	37.7	35.0	6.8	80.6	72.3	34.2	65.3	35386	3452	51.9	38.0	34.1	7.0	80.3	73.1
NK0624-5222	106	34.4	64.4	35093	3407	51.4	38.6	34.8	6.9	80.2	72.2	33.6	64.9	34870	3453	51.7	37.3	35.2	6.9	80.8	73.1
P0622Q	106	33.0	66.6	34724	3507	52.8	38.4	33.6	6.8	79.7	74.2	34.2	66.7	35028	3411	53.4	37.5	32.5	7.0	80.0	73.1
Mn		36.9	64.9	37793	3411	51.7	38.3	34.1	6.8	80.2	72.5	35.7	65.6	36559	3411	52.4	37.9	33.4	6.9	80.1	72.8
LSD(.10)		2.3	2.3	2798	112	0.6	1.2	1.5	0.2	0.6	1.5	2.8	1.6	3304	93	0.6	0.9	1.5	0.2	0.6	1.1
CVerr		3.72	2.09	4.362	1.935	0.74	1.88	2.57	1.34	0.47	1.2	4.68	1.46	5.325	1.608	0.64	1.48	2.71	1.46	0.41	0.91



Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE



Relationship Between Yield and Milk/Ton in the S-105 Trial 38,000 ppa at Chilton, Wisconsin




**WINFIELD
UNITED**



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
 YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-105 Trial 38,000 ppa at Chilton, Wisconsin



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-105 Trial 30,000 ppa at Chilton, Wisconsin




WINFIELD UNITED



Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-105 Trial 30,000 ppa at Chilton, Wisconsin



**WINFIELD
 UNITED**



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.