



10/17/2020

Location:Janesville-WI

Trial: CHT-100

| Hybrid | Yield at 15.5% | Moisture | TWT Mn | \$/Acre |
|----------------|----------------|----------|--------|---------|
| CP4079VT2P/RIB | 270.1 | 17.3 | 57.0 | 785.00 |
| DKC51-91RIB | 263.6 | 18.0 | 57.3 | 757.30 |
| B01Z88Q | 264.8 | 18.3 | 56.3 | 755.83 |
| CP4188VT2P/RIB | 264.2 | 18.4 | 57.0 | 753.45 |
| DKC51-98RIB | 259.4 | 17.5 | 57.5 | 752.50 |
| CP4188SS/RIB | 261.1 | 17.9 | 56.7 | 751.47 |
| CP3899VT2P/RIB | 258.3 | 17.5 | 58.1 | 748.85 |
| CP4203SS/RIB | 258.9 | 17.9 | 56.2 | 744.78 |
| P9880AMXT | 257.1 | 17.7 | 57.8 | 741.63 |
| CP3909SS/RIB | 251.1 | 17.2 | 57.3 | 731.96 |
| P0075Q | 259.8 | 19.1 | 56.3 | 729.89 |
| CP4265VT2P | 252.1 | 17.6 | 57.8 | 729.66 |
| B98R95AM | 254.9 | 18.3 | 58.7 | 728.05 |
| DKC48-95RIB | 249.8 | 17.8 | 58.6 | 720.35 |
| DKC49-44RIB | 250.5 | 18.2 | 58.1 | 716.67 |
| B00K94AMXT | 254.0 | 19.1 | 56.3 | 714.66 |
| B99J08AM | 248.2 | 18.4 | 57.8 | 707.09 |
| DKC47-55RIB | 244.9 | 18.0 | 59.3 | 702.72 |
| P9998Q | 247.7 | 18.7 | 57.2 | 702.31 |
| CP4199SS/RIB | 244.0 | 18.8 | 56.5 | 690.00 |
| NK0472-5222 | 248.6 | 20.4 | 56.7 | 680.90 |
| NK9991-5122 | 240.2 | 19.4 | 57.5 | 672.35 |
| DKC52-34RIB | 234.5 | 18.8 | 57.9 | 663.42 |
| NK9930-5122 | 235.6 | 19.3 | 56.1 | 659.78 |
| NK0243-5122 | 208.3 | 18.2 | 53.5 | 595.45 |
| Mn | 251.9 | 18.2 | 57.2 | 720.34 |
| LSD(.10) | 8.8 | 0.5 | 0.6 | 26.96 |
| #Reps | 8 | 8 | 8 | 8 |
| CVErr | 4.240 | 3.302 | 1.300 | 4.531 |

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN

Answer Plot®
By WINFIELD UNITED
YIELD REPORT 2020

10/17/2020

Location:Janesville-WI

Trial: CHT-105

| Hybrid | Yield at 15.5% | Moisture | TWT Mn | \$/Acre |
|----------------|----------------|----------|--------|---------|
| CP4444VT2P/RIB | 284.8 | 18.5 | 55.8 | 809.80 |
| B03R87Q | 289.3 | 20.4 | 53.8 | 793.26 |
| B06F91Q | 283.0 | 20.2 | 54.5 | 778.72 |
| DKC56-65RIB | 283.7 | 21.4 | 54.8 | 761.65 |
| CP4488SS/RIB | 276.4 | 20.3 | 55.5 | 758.98 |
| P0720Q | 285.8 | 21.9 | 55.1 | 758.23 |
| P0421Q | 269.2 | 19.9 | 55.8 | 745.34 |
| NK0440-3122 | 268.0 | 19.8 | 53.7 | 743.46 |
| CP4676SS/RIB | 265.6 | 19.4 | 55.4 | 742.63 |
| DKC54-64RIB | 264.8 | 19.4 | 55.6 | 740.37 |
| DKC57-23RIB | 271.7 | 20.9 | 52.9 | 737.70 |
| DKC53-27RIB | 259.4 | 19.6 | 54.6 | 722.01 |
| P0339Q | 261.9 | 20.6 | 55.3 | 714.74 |
| NK0760-3111 | 257.3 | 20.0 | 53.9 | 711.31 |
| NK0624-5222 | 252.1 | 19.6 | 54.7 | 701.61 |
| DKC56-15RIB | 255.7 | 20.4 | 54.5 | 700.46 |
| NK0472-5222 | 251.6 | 20.0 | 55.8 | 694.69 |
| CP4791AS3111 | 249.1 | 20.7 | 53.8 | 677.92 |
| NK0886-5122 | 248.5 | 21.4 | 53.5 | 667.62 |
| B04Z92AM | 242.7 | 21.2 | 54.6 | 654.75 |
| DKC55-53RIB | 231.1 | 19.5 | 54.0 | 645.37 |
| B04H94Q | 237.0 | 20.7 | 54.3 | 644.46 |
| B07H01AM | 244.4 | 22.5 | 54.2 | 639.96 |
| NK0821-5122A | 230.1 | 22.7 | 53.9 | 599.96 |
| Mn | 261.5 | 20.3 | 54.7 | 717.67 |
| LSD(.10) | 10.8 | 0.6 | 0.9 | 32.14 |
| #Reps | 8 | 8 | 8 | 8 |
| CVErr | 5.008 | 3.715 | 2.000 | 5.421 |

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



Answer Plot®
By WINFIELD
UNITED
YIELD REPORT 2020

10/17/2020

Location: Janesville-WI

Trial: CHT-110

| Hybrid | Yield at 15.5% | Moisture | TWT Mn | \$/Acre |
|-----------------|----------------|----------|--------|---------|
| DKC58-64RIB | 281.6 | 21.6 | 53.6 | 752.62 |
| DKC59-81RIB | 278.8 | 22.1 | 53.9 | 736.09 |
| DKC60-80RIB | 279.1 | 23.3 | 53.3 | 717.81 |
| B08C92AML | 269.5 | 21.8 | 55.0 | 716.59 |
| CP4997VT2P/RIB | 271.8 | 22.7 | 53.9 | 709.09 |
| CP5073SS/RIB | 273.2 | 23.3 | 52.4 | 701.86 |
| DKC62-53RIB | 268.8 | 22.7 | 52.6 | 701.58 |
| CP5115SS/RIB | 274.7 | 23.7 | 53.9 | 699.67 |
| B08K90Q | 273.2 | 23.9 | 53.6 | 692.33 |
| P1055Q | 265.0 | 22.7 | 55.3 | 690.67 |
| CP5115VT2P/RIB | 264.6 | 22.9 | 54.2 | 686.71 |
| CP5290DGV2P/RIB | 269.8 | 23.8 | 54.2 | 686.29 |
| DKC61-40RIB | 263.7 | 23.1 | 52.0 | 682.19 |
| CP4895SS/RIB | 262.3 | 22.9 | 54.7 | 680.11 |
| DKC58-34RIB | 251.7 | 21.7 | 55.3 | 671.67 |
| B10Y90Q | 261.1 | 24.2 | 55.6 | 655.96 |
| NK1082-5222A | 260.1 | 24.5 | 52.3 | 652.15 |
| CP5073VT2P/RIB | 265.9 | 25.3 | 53.2 | 650.80 |
| NK1026-3330 | 250.2 | 22.8 | 52.3 | 650.42 |
| P1108Q | 254.0 | 25.2 | 53.4 | 623.49 |
| B10R89AM | 242.5 | 24.5 | 53.3 | 605.49 |
| NK1188-5122 | 235.5 | 26.0 | 53.8 | 569.80 |
| NK1239-5122 | 240.2 | 28.6 | 53.7 | 534.88 |
| Mn | 265.2 | 23.5 | 53.7 | 678.85 |
| LSD(.10) | 12.3 | 1.0 | 0.7 | 39.66 |
| #Reps | 8 | 8 | 8 | 8 |
| CVErr | 5.635 | 5.269 | 1.607 | 7.072 |

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

WINFIELD
UNITED

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

| 10/8/2020 | Location: Janesville-WI | Trial: SPT-20 | | | |
|------------|-------------------------|---------------|-------|---------|--|
| Variety | BU/ACRE Mn | Moisture | TWT | \$/Acre | |
| B210EE | 97.0 | 11.6 | 54.3 | 873.03 | |
| CP1960X | 88.9 | 11.7 | 54.3 | 800.12 | |
| P19A14X | 88.3 | 11.8 | 54.5 | 794.62 | |
| CZ2040GTLL | 87.2 | 11.5 | 53.7 | 785.10 | |
| AG20X9 | 85.0 | 12.3 | 55.1 | 764.73 | |
| AG21X9 | 83.6 | 11.9 | 54.7 | 752.10 | |
| AG22X9 | 83.1 | 12.2 | 54.0 | 747.76 | |
| P18A98X | 82.6 | 12.1 | 54.6 | 743.16 | |
| S20-J5X | 82.1 | 11.2 | 52.2 | 739.34 | |
| P21A28X | 81.7 | 11.7 | 54.6 | 735.48 | |
| CP2021E | 81.3 | 11.7 | 54.2 | 731.78 | |
| CZ1859GTLL | 80.8 | 11.8 | 55.0 | 727.21 | |
| P20T64E | 80.6 | 11.8 | 53.9 | 725.64 | |
| B228RX | 79.9 | 12.1 | 54.2 | 719.16 | |
| AG18X0 | 79.8 | 11.9 | 53.6 | 718.23 | |
| CP1827X | 79.7 | 12.1 | 51.9 | 717.44 | |
| S21-W8X | 79.0 | 11.7 | 53.3 | 710.89 | |
| S20-E3 | 78.6 | 11.6 | 54.0 | 707.78 | |
| CP1820E | 77.8 | 11.7 | 54.6 | 700.57 | |
| AG19X0 | 77.8 | 12.2 | 54.9 | 699.89 | |
| CP2128X | 74.8 | 12.0 | 53.7 | 673.35 | |
| S22-E3 | 73.8 | 12.0 | 54.8 | 664.21 | |
| CZ2230GTLL | 72.1 | 12.0 | 54.0 | 649.32 | |
| CP1721E | 70.9 | 11.7 | 55.6 | 638.06 | |
| B209EE | 69.5 | 11.9 | 54.7 | 625.41 | |
| CP2120E | | | | | |
| Mn | 80.3 | 11.8 | 54.2 | 722.85 | |
| CVErr | 7.333 | 2.302 | 1.771 | 7.332 | |
| LSD(.10) | 10.0 | 0.5 | 1.6 | 90.05 | |
| #Reps | 2 | 2 | 2 | 2 | |

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

| Variety | BU/ACRE Mn | Moisture | TWT | \$/Acre |
|------------|------------|----------|-------|---------|
| CP2521E | 86.3 | 11.8 | 54.5 | 776.36 |
| S24-E3 | 86.3 | 12.1 | 57.1 | 776.81 |
| B269EE | 85.5 | 12.0 | 54.9 | 769.76 |
| P24A80X | 85.2 | 11.8 | 54.4 | 767.15 |
| AG26X8 | 84.7 | 12.0 | 54.7 | 762.74 |
| CP2578X | 84.6 | 11.8 | 55.0 | 761.62 |
| CZ2550GTLL | 84.3 | 11.7 | 55.1 | 758.37 |
| S25-V8X | 84.3 | 11.8 | 55.1 | 758.57 |
| P23A15X | 83.8 | 12.0 | 55.5 | 754.39 |
| CP2200X | 83.7 | 11.4 | 54.3 | 753.19 |
| CZ2360GTLL | 83.0 | 11.4 | 53.8 | 747.26 |
| P24T76E | 82.7 | 11.7 | 55.1 | 744.67 |
| P23A32X | 82.5 | 11.9 | 55.5 | 742.54 |
| AG22X9 | 82.4 | 11.9 | 53.9 | 741.53 |
| B259EE | 82.0 | 11.7 | 55.0 | 738.40 |
| CP2529E | 81.7 | 11.6 | 55.0 | 735.61 |
| CP2400X | 81.0 | 12.4 | 57.1 | 729.17 |
| CP2321E | 80.9 | 11.6 | 54.3 | 727.89 |
| AG26X0 | 79.7 | 12.0 | 54.8 | 717.59 |
| S26-E3 | 79.2 | 11.8 | 53.2 | 712.77 |
| CP2520E | 79.1 | 11.9 | 55.1 | 711.95 |
| P22T86E | 79.1 | 11.7 | 53.5 | 711.83 |
| AG23X9 | 78.9 | 11.6 | 54.8 | 710.45 |
| B240EE | 78.8 | 11.6 | 54.1 | 709.47 |
| CP2128X | 76.0 | 12.0 | 54.3 | 683.65 |
| P25A27X | 76.0 | 11.9 | 55.1 | 684.44 |
| S23-G5X | 75.7 | 11.8 | 54.3 | 681.11 |
| CZ2230GTLL | 72.2 | 11.8 | 54.3 | 649.60 |
| Mn | 81.5 | 11.8 | 54.8 | 733.18 |
| CVErr | 3.890 | 1.842 | 1.378 | 3.892 |
| LSD(.10) | 5.4 | 0.4 | 1.3 | 48.43 |
| #Reps | 2 | 2 | 2 | 2 |

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

| Variety | BU/ACRE Mn | Moisture | TWT | \$/Acre |
|------------|------------|----------|-------|---------|
| P27A17X | 91.8 | 12.5 | 54.8 | 826.53 |
| CP2829E | 89.2 | 12.1 | 44.0 | 802.68 |
| S30-E3 | 88.2 | 13.4 | 53.9 | 793.70 |
| AG26X8 | 87.2 | 11.9 | 54.7 | 784.38 |
| S27-M8X | 85.3 | 11.8 | 56.3 | 767.39 |
| P28A42X | 85.2 | 12.0 | 55.6 | 766.36 |
| CZ2760GTLL | 84.2 | 11.9 | 55.7 | 758.08 |
| CP2700X | 83.8 | 12.1 | 54.4 | 753.82 |
| P29A25X | 83.8 | 13.0 | 56.4 | 754.38 |
| CP2920E | 83.6 | 12.6 | 55.0 | 752.55 |
| CZ2830GTLL | 82.8 | 11.9 | 55.4 | 745.37 |
| CZ2910GTLL | 82.3 | 12.2 | 55.2 | 740.49 |
| B260EE | 82.0 | 12.1 | 55.0 | 738.35 |
| AG26X0 | 81.9 | 12.4 | 54.7 | 736.78 |
| S29-K3X | 79.5 | 12.8 | 54.1 | 715.62 |
| AG30X9 | 78.0 | 12.1 | 55.1 | 701.96 |
| AG27X0 | 77.9 | 12.2 | 55.0 | 700.65 |
| CP2960X | 77.7 | 13.1 | 54.0 | 699.48 |
| S30-M9X | 77.7 | 12.7 | 54.2 | 698.94 |
| B289EE | 77.1 | 12.2 | 54.5 | 693.94 |
| P28T14E | 77.1 | 11.9 | 55.4 | 693.77 |
| CP2708X | 74.3 | 11.8 | 55.6 | 668.56 |
| AG29X9 | 73.9 | 13.0 | 54.6 | 664.93 |
| CZ2550GTLL | 73.0 | 12.2 | 54.6 | 657.22 |
| B259EE | 71.6 | 12.0 | 54.8 | 644.62 |
| Mn | 81.2 | 12.3 | 54.5 | 730.58 |
| CVErr | 4.361 | 2.427 | 1.060 | 4.362 |
| LSD(.10) | 6.0 | 0.5 | 1.0 | 54.09 |
| #Reps | 2 | 2 | 2 | 2 |

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]

By WINFIELD UNITED

YIELD REPORT 2020

| Variety | BU/ACRE Mn | Moisture | TWT | \$/Acre |
|------------|------------|----------|-------|---------|
| P27A17X | 91.8 | 12.5 | 54.8 | 826.53 |
| CP2829E | 89.2 | 12.1 | 44.0 | 802.68 |
| S30-E3 | 88.2 | 13.4 | 53.9 | 793.70 |
| AG26X8 | 87.2 | 11.9 | 54.7 | 784.38 |
| S27-M8X | 85.3 | 11.8 | 56.3 | 767.39 |
| P28A42X | 85.2 | 12.0 | 55.6 | 766.36 |
| CZ2760GTLL | 84.2 | 11.9 | 55.7 | 758.08 |
| CP2700X | 83.8 | 12.1 | 54.4 | 753.82 |
| P29A25X | 83.8 | 13.0 | 56.4 | 754.38 |
| CP2920E | 83.6 | 12.6 | 55.0 | 752.55 |
| CZ2830GTLL | 82.8 | 11.9 | 55.4 | 745.37 |
| CZ2910GTLL | 82.3 | 12.2 | 55.2 | 740.49 |
| B260EE | 82.0 | 12.1 | 55.0 | 738.35 |
| AG26X0 | 81.9 | 12.4 | 54.7 | 736.78 |
| S29-K3X | 79.5 | 12.8 | 54.1 | 715.62 |
| AG30X9 | 78.0 | 12.1 | 55.1 | 701.96 |
| AG27X0 | 77.9 | 12.2 | 55.0 | 700.65 |
| CP2960X | 77.7 | 13.1 | 54.0 | 699.48 |
| S30-M9X | 77.7 | 12.7 | 54.2 | 698.94 |
| B289EE | 77.1 | 12.2 | 54.5 | 693.94 |
| P28T14E | 77.1 | 11.9 | 55.4 | 693.77 |
| CP2708X | 74.3 | 11.8 | 55.6 | 668.56 |
| AG29X9 | 73.9 | 13.0 | 54.6 | 664.93 |
| CZ2550GTLL | 73.0 | 12.2 | 54.6 | 657.22 |
| B259EE | 71.6 | 12.0 | 54.8 | 644.62 |
| Mn | 81.2 | 12.3 | 54.5 | 730.58 |
| CVErr | 4.361 | 2.427 | 1.060 | 4.362 |
| LSD(.10) | 6.0 | 0.5 | 1.0 | 54.09 |
| #Reps | 2 | 2 | 2 | 2 |

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
By WINFIELD UNITED
YIELD REPORT 2020

| Location: Janesville, Wisconsin | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----|-------------------------|----------|-----------|----------|------|------|--------|-----|------|------|-------------------------|----------|-----------|----------|------|------|--------|-----|------|------|
| Trial: S-110 | | 38,000 plants/acre | | | | | | | | | | 30,000 plants/acre | | | | | | | | | |
| Hybrid | RM | Yield30%DM tons/acre | Moisture | Milk/acre | Milk/ton | NDFD | NDF | STARCH | CP | IVD | TDN | Yield30%DM tons/acre | Moisture | Milk/acre | Milk/ton | NDFD | NDF | STARCH | CP | IVD | TDN |
| B09T79SX | 109 | 36.9 | 64.9 | 32350 | 2934 | 50.4 | 48.2 | 20.8 | 7.3 | 75.7 | 66.9 | 37.9 | 61.8 | 33092 | 2925 | 49.5 | 47.0 | 23.8 | 7.0 | 76.7 | 66.6 |
| NK1082-5222A | 110 | 36.6 | 65.0 | 36943 | 3352 | 51.0 | 40.4 | 32.8 | 7.5 | 79.4 | 71.6 | 33.1 | 65.8 | 33650 | 3398 | 51.3 | 40.3 | 32.3 | 7.7 | 79.4 | 72.3 |
| CP5115VT2P/RIB | 111 | 36.1 | 62.4 | 34796 | 3222 | 50.6 | 41.4 | 32.6 | 7.3 | 79.1 | 69.7 | 33.1 | 62.2 | 32452 | 3265 | 50.4 | 38.8 | 35.2 | 7.2 | 80.5 | 70.2 |
| DKC62-52RIB | 112 | 36.1 | 62.9 | 35513 | 3296 | 50.5 | 38.8 | 36.0 | 7.7 | 80.4 | 70.7 | 30.7 | 67.3 | 32008 | 3479 | 50.9 | 39.5 | 34.2 | 7.8 | 79.9 | 73.4 |
| B09T70SX | 109 | 35.6 | 69.0 | 35659 | 3336 | 51.2 | 43.1 | 28.3 | 7.4 | 78.0 | 71.8 | 33.3 | 68.0 | 33614 | 3379 | 51.1 | 42.9 | 29.3 | 7.3 | 78.1 | 72.1 |
| NK1026-3330 | 110 | 34.9 | 62.9 | 33475 | 3204 | 49.8 | 42.0 | 32.5 | 7.3 | 79.1 | 69.4 | 33.2 | 63.8 | 32653 | 3282 | 50.5 | 41.0 | 32.5 | 7.4 | 79.4 | 70.6 |
| P0950Q | 109 | 34.8 | 65.4 | 35690 | 3435 | 52.0 | 39.7 | 35.4 | 7.3 | 79.4 | 72.6 | 32.8 | 65.6 | 33727 | 3446 | 52.1 | 39.2 | 35.6 | 7.5 | 79.6 | 72.8 |
| DKC59-07RIB | 109 | 34.6 | 66.3 | 35750 | 3429 | 51.1 | 40.1 | 33.2 | 7.2 | 79.5 | 72.6 | 35.4 | 64.5 | 36071 | 3412 | 52.4 | 39.3 | 32.8 | 7.6 | 79.4 | 72.5 |
| P1244AM | 112 | 34.6 | 63.6 | 34593 | 3344 | 51.6 | 39.5 | 33.7 | 7.5 | 79.7 | 71.4 | 31.9 | 64.9 | 32786 | 3416 | 51.8 | 39.0 | 34.2 | 7.6 | 79.8 | 72.5 |
| CP5115SS/RIB | 111 | 34.5 | 64.5 | 34430 | 3327 | 50.2 | 40.1 | 33.7 | 7.3 | 79.9 | 71.1 | 31.5 | 66.5 | 32472 | 3421 | 50.8 | 40.4 | 31.9 | 7.6 | 79.6 | 72.5 |
| CP5000SAS3122- | 110 | 34.4 | 64.5 | 33276 | 3215 | 51.8 | 41.8 | 28.5 | 7.5 | 78.4 | 70.5 | 32.7 | 65.3 | 32119 | 3256 | 51.7 | 42.1 | 28.3 | 7.6 | 78.3 | 71.0 |
| CP5073SS/RIB | 110 | 33.9 | 67.3 | 35384 | 3489 | 51.4 | 39.0 | 34.3 | 7.9 | 80.0 | 73.5 | 33.6 | 69.2 | 35484 | 3514 | 52.0 | 39.8 | 32.9 | 7.8 | 79.4 | 74.0 |
| CP4997VT2P/RIB | 109 | 32.9 | 63.8 | 32580 | 3294 | 50.0 | 40.4 | 33.5 | 7.0 | 79.9 | 70.5 | 30.5 | 66.6 | 31560 | 3450 | 50.4 | 39.7 | 34.4 | 7.2 | 80.0 | 72.7 |
| P1108Q | 111 | 32.9 | 66.1 | 33903 | 3442 | 52.1 | 40.1 | 32.2 | 7.7 | 79.2 | 73.0 | 34.1 | 67.1 | 35664 | 3498 | 52.2 | 39.3 | 33.2 | 7.7 | 79.5 | 73.7 |
| CP5073VT2P/RIB | 110 | 31.4 | 66.8 | 33155 | 3511 | 51.6 | 38.9 | 35.2 | 7.7 | 80.0 | 73.6 | 30.5 | 69.9 | 32151 | 3533 | 51.8 | 39.4 | 34.2 | 7.8 | 79.6 | 74.0 |
| DKC61-40RIB | 111 | 31.2 | 67.0 | 32613 | 3488 | 51.3 | 39.7 | 34.6 | 7.6 | 79.7 | 73.3 | 29.6 | 68.8 | 31172 | 3514 | 51.2 | 39.4 | 34.8 | 7.6 | 79.8 | 73.8 |
| DKC62-08RIB | 112 | 31.2 | 63.5 | 30078 | 3220 | 49.6 | 41.4 | 33.0 | 7.6 | 79.5 | 69.8 | 28.8 | 66.6 | 29432 | 3402 | 50.3 | 41.1 | 33.6 | 7.5 | 79.4 | 72.1 |
| B08J81AMXT | 108 | 30.5 | 71.0 | 32266 | 3527 | 52.3 | 39.7 | 34.5 | 7.9 | 79.3 | 74.1 | 28.8 | 72.5 | 30267 | 3500 | 51.9 | 39.8 | 33.3 | 7.8 | 79.4 | 73.9 |
| NK1239-5122 | 112 | 30.4 | 68.5 | 30614 | 3375 | 51.1 | 43.0 | 28.7 | 7.6 | 78.0 | 72.3 | 35.7 | 67.1 | 35429 | 3311 | 51.3 | 42.9 | 27.9 | 7.6 | 78.0 | 71.5 |
| CP4895SS/RIB | 108 | 30.1 | 70.3 | 31423 | 3472 | 50.8 | 40.4 | 33.1 | 7.5 | 79.5 | 73.2 | 29.6 | 68.6 | 30795 | 3479 | 51.0 | 40.3 | 32.8 | 7.5 | 79.5 | 73.4 |
| P1093Q | 110 | 29.8 | 68.1 | 31378 | 3527 | 51.8 | 39.3 | 34.5 | 8.0 | 79.7 | 73.9 | 31.3 | 64.8 | 31671 | 3388 | 52.0 | 40.0 | 32.7 | 8.0 | 79.2 | 72.2 |
| B10R89AM | 110 | 29.5 | 68.9 | 30795 | 3489 | 52.6 | 41.0 | 30.1 | 7.4 | 78.4 | 73.9 | 29.1 | 67.0 | 29875 | 3411 | 52.6 | 40.6 | 32.0 | 7.6 | 78.7 | 72.9 |
| CP6110VT2P/RIB | 110 | 28.9 | 67.9 | 30304 | 3503 | 50.5 | 39.6 | 35.3 | 7.0 | 80.1 | 73.3 | 28.5 | 67.4 | 29695 | 3493 | 50.6 | 39.8 | 34.9 | 7.1 | 79.9 | 73.2 |
| Mn | | 33.8 | 65.4 | 33774 | 3340 | 50.9 | 40.7 | 32.8 | 7.4 | 79.3 | 71.4 | 32.6 | 65.9 | 32925 | 3376 | 51.1 | 40.4 | 32.9 | 7.5 | 79.4 | 71.9 |
| LSD(.10) | | 2.7 | 2.7 | 2064 | 123 | 0.7 | 1.3 | 2.3 | 0.2 | 0.7 | 1.6 | 2.4 | 3.1 | 2515 | 129 | 0.5 | 0.9 | 2 | 0.2 | 0.5 | 1.7 |
| CVErr | | 4.62 | 2.46 | 3.6 | 2.166 | 0.82 | 1.91 | 4.11 | 1.8 | 0.53 | 1.33 | 4.31 | 2.78 | 4.5 | 2.258 | 0.63 | 1.34 | 3.55 | 1.9 | 0.37 | 1.36 |



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE



Relationship Between Yield and Milk/Ton in the S-110 Trial 38,000 ppa at Janesville, Wisconsin




**WINFIELD
UNITED**



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.




CORN SILAGE

Answer Plot[®]

By WINFIELD UNITED

YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-110 Trial 38,000 ppa at Janesville, Wisconsin



WINFIELD UNITED

CROPLAN
By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-110 Trial 30,000 ppa at Janesville, Wisconsin



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-110 Trial 30,000 ppa at Janesville, Wisconsin



WINFIELD UNITED

CROPLAN
 By WINFIELD UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
YIELD REPORT 2020


| Location: Janesville, Wisconsin | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----|-------------------------|----------|-----------|----------|------|------|--------|------|------|------|-------------------------|----------|-----------|----------|------|------|--------|------|------|------|
| Trial: S-115 | | 38,000 plants/acre | | | | | | | | | | 30,000 plants/acre | | | | | | | | | |
| Hybrid | RM | Yield30%DM tons/acre | Moisture | Milk/acre | Milk/ton | NDFD | NDF | STARCH | CP | IVD | TDN | Yield30%DM tons/acre | Moisture | Milk/acre | Milk/ton | NDFD | NDF | STARCH | CP | IVD | TDN |
| B16T87SX | 116 | 39.0 | 70.7 | 38642 | 3304 | 51.3 | 44.7 | 26.6 | 7.4 | 77.1 | 71.6 | 39.9 | 67.6 | 38270 | 3208 | 51.5 | 45.7 | 24.9 | 7.2 | 76.5 | 70.4 |
| CP5335VT2P/RIB | 113 | 37.7 | 63.7 | 36882 | 3250 | 50.0 | 41.9 | 31.3 | 7.3 | 79.1 | 70.1 | 34.1 | 65.5 | 34412 | 3358 | 50.6 | 41.4 | 31.7 | 7.3 | 79.1 | 71.5 |
| NK1677-3110 | 116 | 37.4 | 66.1 | 37459 | 3343 | 51.4 | 42.9 | 28.7 | 7.7 | 78.0 | 71.7 | 32.8 | 66.6 | 32828 | 3340 | 52.0 | 42.2 | 28.8 | 7.8 | 78.1 | 71.9 |
| B14T87SX | 114 | 37.1 | 71.9 | 35495 | 3199 | 51.7 | 45.3 | 24.7 | 7.4 | 76.6 | 70.3 | 37.4 | 67.7 | 35959 | 3209 | 51.7 | 44.7 | 25.4 | 7.3 | 76.9 | 70.5 |
| DKC64-25RIB | 114 | 34.9 | 63.4 | 34004 | 3254 | 49.5 | 40.6 | 35.1 | 7.0 | 79.9 | 69.8 | 32.7 | 63.3 | 31645 | 3231 | 50.1 | 42.2 | 31.8 | 7.0 | 78.9 | 69.8 |
| B13T77SX | 113 | 34.6 | 69.4 | 35141 | 3395 | 50.4 | 42.8 | 30.3 | 7.1 | 78.5 | 72.1 | 31.8 | 71.5 | 32065 | 3358 | 50.6 | 43.5 | 28.8 | 7.1 | 78.0 | 72.0 |
| CP5550VT2P/RIB | 115 | 34.3 | 65.6 | 35110 | 3409 | 50.4 | 39.9 | 34.3 | 7.3 | 79.9 | 72.0 | 29.8 | 67.6 | 31191 | 3485 | 50.4 | 40.0 | 34.1 | 7.4 | 79.9 | 73.0 |
| NK1460-5222 | 114 | 34.1 | 65.0 | 34393 | 3364 | 50.3 | 40.3 | 35.1 | 7.4 | 79.8 | 71.4 | 30.9 | 68.2 | 32250 | 3468 | 50.5 | 40.8 | 33.7 | 7.5 | 79.4 | 72.9 |
| DKC64-34RIB | 114 | 34.0 | 68.7 | 35228 | 3454 | 50.2 | 40.5 | 33.9 | 7.3 | 79.7 | 72.8 | 32.4 | 69.6 | 33344 | 3439 | 50.4 | 40.9 | 32.8 | 7.4 | 79.4 | 72.7 |
| DKC67-42RIB | 117 | 33.1 | 68.3 | 34149 | 3432 | 50.2 | 41.7 | 33.0 | 7.3 | 79.1 | 72.4 | 33.5 | 67.4 | 34189 | 3402 | 50.0 | 41.8 | 33.0 | 7.2 | 79.1 | 72.0 |
| CP5789VT2P/RIB | 117 | 32.4 | 65.2 | 32575 | 3341 | 50.2 | 40.8 | 32.0 | 7.6 | 79.6 | 71.4 | 31.8 | 66.8 | 32501 | 3404 | 50.2 | 40.8 | 31.8 | 7.6 | 79.5 | 72.3 |
| DKC64-44RIB | 114 | 32.3 | 69.4 | 33321 | 3454 | 51.1 | 41.2 | 31.9 | 7.7 | 79.0 | 73.1 | 32.4 | 67.9 | 33868 | 3474 | 51.1 | 40.4 | 32.4 | 7.7 | 79.4 | 73.3 |
| CP5678VT2P/RIB | 116 | 32.2 | 67.9 | 32821 | 3402 | 49.3 | 41.6 | 32.5 | 7.5 | 79.6 | 72.1 | 32.7 | 66.6 | 33427 | 3393 | 50.0 | 40.9 | 33.2 | 7.4 | 79.6 | 72.0 |
| CP5700SVT2P/RIB | 117 | 32.0 | 67.7 | 32234 | 3340 | 51.1 | 42.8 | 29.3 | 7.6 | 78.2 | 71.7 | 30.7 | 68.9 | 30578 | 3324 | 51.6 | 43.4 | 27.4 | 7.5 | 77.7 | 71.9 |
| P1353Q | 113 | 31.2 | 70.2 | 32215 | 3464 | 51.9 | 41.3 | 30.6 | 7.8 | 78.6 | 73.4 | 30.9 | 69.8 | 31951 | 3454 | 52.4 | 41.7 | 29.9 | 7.8 | 78.2 | 73.5 |
| CP5370VT2P/RIB | 113 | 30.9 | 69.7 | 32129 | 3457 | 49.9 | 40.3 | 34.2 | 7.3 | 79.8 | 72.8 | 32.6 | 66.9 | 33863 | 3455 | 51.0 | 40.2 | 32.7 | 7.4 | 79.5 | 72.9 |
| P1563AM | 115 | 30.3 | 68.0 | 32361 | 3557 | 52.1 | 39.1 | 34.2 | 7.8 | 79.7 | 74.3 | 29.6 | 69.3 | 31354 | 3516 | 52.1 | 40.0 | 32.9 | 7.8 | 79.2 | 73.9 |
| CP5340VT2P/RIB | 113 | 30.0 | 66.6 | 30606 | 3421 | 50.2 | 40.6 | 35.0 | 7.4 | 79.7 | 72.2 | 30.0 | 68.1 | 31856 | 3521 | 50.7 | 39.1 | 35.7 | 7.6 | 80.2 | 73.6 |
| NK1523-3220 | 115 | 29.3 | 70.5 | 30105 | 3421 | 52.2 | 42.4 | 29.1 | 7.8 | 77.9 | 73.0 | 31.4 | 69.6 | 32462 | 3454 | 52.6 | 42.4 | 29.4 | 7.5 | 77.8 | 73.3 |
| Mn | | 33.4 | 67.3 | 33929 | 3385 | 50.6 | 41.4 | 32.4 | 7.4 | 79 | 72 | 32.4 | 67.3 | 32924 | 3395 | 50.9 | 41.4 | 31.8 | 7.4 | 79 | 72.2 |
| LSD(.10) | | 2.5 | 2.3 | 2130 | 91 | 0.6 | 0.9 | 1.6 | 0.2 | 0.5 | 1.2 | 2.6 | 2.1 | 2461 | 104 | 0.5 | 1.1 | 2 | 0.1 | 0.6 | 1.2 |
| CVErr | | 4.37 | 2.06 | 3.699 | 1.589 | 0.74 | 1.33 | 2.93 | 1.33 | 0.4 | 0.98 | 4.72 | 1.88 | 4.405 | 1.808 | 0.61 | 1.55 | 3.66 | 1.07 | 0.47 | 0.99 |



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
 YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-115 Trial 38,000 ppa at Janesville, Wisconsin



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com


Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot
By WINFIELD
UNITED
YIELD REPORT 2020



WINFIELD
UNITED

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-115 Trial 30,000 ppa at Janesville, Wisconsin




**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-115 Trial 30,000 ppa at Janesville, Wisconsin



WINFIELD UNITED



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.