



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CP1121E	83.0	11.9	53.8	747.04
CP1111X	82.0	11.8	53.9	737.72
S12-TX2	80.6	12.2	52.9	725.49
P14A30X	79.6	12.0	54.2	716.67
CP1420E	78.9	12.1	54.5	709.77
CP1100X	78.3	12.6	55.0	704.68
S14-U9X	77.8	12.2	53.5	700.59
S13-E3	77.6	12.4	54.2	698.34
CP1120E	76.3	12.3	55.3	686.44
CP0970X	73.4	12.4	54.6	660.76
CZ1139GTLL	72.7	13.1	56.2	654.30
B130EE	71.5	12.5	55.0	643.18
CP1329E	71.4	12.3	54.5	642.58
B119EE	71.4	12.8	53.5	642.90
AG14X8	70.4	12.1	54.0	633.97
P10A76X	69.0	12.1	53.7	621.12
CZ1470GTLL	67.3	12.7	56.7	605.63
CZ1280GTLL	66.4	11.9	53.0	597.93
AG14X0	64.5	12.1	54.4	580.75
AG09X9	64.3	12.0	52.3	578.34
Mn	73.4	12.2	54.2	660.71
CVErr	6.873	2.616	1.639	6.872
LSD(.10)	8.6	0.5	1.5	77.06
#Reps	2	2	2	2

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CZ1660GTLL	88.8	12.1	53.7	799.07
S17-E3	83.4	12.7	56.8	750.33
CP1659LG	82.5	12.2	54.2	742.16
B149EE	80.6	12.6	53.9	725.44
AG14X8	80.1	12.4	53.6	721.21
P14A30X	79.7	12.0	54.1	716.90
AG16X0	79.5	12.2	53.5	715.87
CP1611X	79.4	12.2	54.4	714.25
CP1600X	79.0	12.1	54.3	710.57
P16A49X	76.2	12.7	53.1	686.08
P15A88X	76.1	12.1	54.2	684.58
CP1400X	76.0	12.1	53.6	684.10
CP1420E	75.0	12.3	54.3	675.23
B159RX	74.9	12.3	54.9	674.21
P16T58E	73.3	12.5	53.8	659.59
CP1721E	72.9	11.6	53.3	656.16
AG14X0	72.9	12.4	53.4	656.50
AG18X0	71.3	12.2	53.3	641.34
CP1329E	70.3	12.4	54.6	632.91
S18-H3X	69.9	12.2	53.1	628.92
B169EE	69.7	12.4	54.2	627.40
CZ1850GTLL	68.7	12.1	55.1	618.40
AG17X8	68.2	12.1	52.9	613.68
S18-G4X	68.1	12.5	54.0	612.97
CZ1470GTLL	66.3	13.0	55.8	597.09
S16-K2X	60.7	12.4	53.3	546.66
Mn	74.6	12.3	54.0	671.75
CVErr	7.875	1.710	1.020	7.871
LSD(.10)	10.0	0.4	0.9	89.74
#Reps	2	2	2	2

\$/Acre Assumptions = \$9.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]

By WINFIELD
UNITED

YIELD REPORT 2020

10/7/2020	Location: WestSalem-WI	Trial: SPT-20			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
P18A98X	81.1	12.0	54.3	730.05	
P19A14X	79.9	12.0	53.0	719.23	
CP2120E	78.8	12.3	54.3	709.21	
CP1721E	78.5	12.1	54.4	706.56	
P21A28X	78.3	12.0	53.6	704.43	
AG20X9	78.1	12.3	54.2	702.75	
B228RX	77.7	12.6	52.4	699.75	
AG19X0	77.2	12.6	53.4	694.59	
CP2128X	76.2	12.4	53.1	685.86	
P20T64E	73.6	12.2	54.5	662.64	
CP2021E	73.0	12.5	53.1	656.68	
S21-W8X	72.8	12.2	54.0	655.47	
AG22X9	72.6	12.2	54.2	653.41	
CZ2040GTLL	72.5	12.0	51.8	652.63	
CZ1859GTLL	72.4	12.1	58.4	651.79	
CP1827X	72.2	12.1	53.6	649.78	
S20-J5X	71.9	12.1	53.4	647.28	
CP1960X	71.8	12.1	52.4	645.97	
B210EE	70.7	12.5	52.8	636.49	
AG21X9	70.0	12.8	53.4	630.18	
S22-E3	68.2	12.6	53.0	613.58	
S20-E3	67.9	12.5	53.3	610.73	
CP1820E	67.7	11.9	54.5	608.88	
AG18X0	66.4	12.5	52.4	597.51	
B209EE	65.6	12.6	53.9	590.78	
CZ2230GTLL	59.6	12.7	53.2	536.44	
Mn	73.2	12.2	53.7	658.87	
CVErr	7.787	2.176	2.382	7.787	
LSD(.10)	9.7	0.5	2.2	87.07	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$9.00/Bushel Selling Price

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020

Location: West Salem, Wisconsin																					
Trial: S-105		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
NK0472-5222	104	41.7	57.2	36648	2913	47.0	38.7	33.2	7.1	81.8	65.9	35.1	61.4	33080	3134	49.0	40.2	31.6	7.2	80.3	68.8
DKC56-45RIB	106	41.3	60.3	36496	2939	48.8	39.4	30.1	7.3	80.8	66.7	37.3	63.2	34235	3057	48.8	39.1	30.6	6.9	80.9	68.2
CP4676SS/RIB	104	41.1	61.6	38408	3103	49.4	38.2	32.1	7.3	81.1	68.8	37.2	66.6	36653	3288	50.1	38.8	31.5	6.8	80.6	71.2
P0622Q	106	38.9	64.3	37233	3183	49.1	38.2	32.1	6.9	81.2	69.8	35.4	66.4	35032	3307	50.1	38.7	31.7	7.0	80.6	71.4
P0339Q	103	38.7	64.1	36794	3165	48.6	38.1	32.3	6.8	81.5	69.5	34.3	65.1	32476	3170	50.1	39.9	29.9	7.0	80.1	69.7
P0306Q	103	37.4	62.5	34375	3070	49.4	38.8	31.2	6.9	80.9	68.4	34.0	65.5	32053	3144	50.2	40.4	29.0	7.0	79.8	69.4
CP4488SS/RIB	104	36.9	58.0	33761	3041	49.0	38.3	34.9	7.1	81.3	67.2	34.5	61.1	32441	3135	48.7	39.0	33.1	7.0	81.1	68.8
B03R87Q	103	35.5	62.6	33711	3167	49.4	37.8	33.0	7.0	81.4	69.6	37.5	65.7	36654	3259	50.8	39.8	30.5	7.1	79.8	70.9
B04H94Q	104	35.1	60.9	32030	3039	48.8	37.8	32.6	7.0	81.6	68.0	32.5	62.0	30127	3090	49.7	38.9	31.4	7.1	80.7	68.7
DKC55-37RIB	105	34.8	60.9	32186	3073	48.4	39.0	32.4	6.9	81.1	68.3	30.8	64.7	29067	3144	49.1	40.6	29.7	7.1	80.1	69.3
CP4549VT2P/RIB	105	33.8	56.6	30116	2960	47.3	37.0	36.6	7.0	82.5	65.7	33.6	59.7	30460	3020	47.5	39.0	33.2	7.0	81.5	67.2
CP4791AS3111	107	33.4	62.7	31474	3147	50.5	39.8	30.7	7.3	79.9	69.5	35.0	63.7	32470	3092	49.8	39.9	29.8	7.1	80.2	68.7
DKC53-27RIB	103	33.1	61.4	30947	3125	49.6	40.3	31.3	7.2	80.1	69.1	29.2	62.3	27432	3115	49.5	40.3	30.7	7.2	80.1	69.0
B06F91Q	106	32.5	66.0	30591	3131	50.0	40.4	28.2	7.3	79.8	69.2	39.3	65.2	37394	3169	50.3	38.8	30.4	7.1	80.5	69.7
DKC54-64RIB	104	32.3	62.2	30522	3156	49.5	39.7	31.4	7.3	80.3	69.4	34.0	64.6	32005	3138	48.8	39.9	30.2	7.1	80.6	69.2
DKC54-38RIB	104	32.0	61.8	29474	3071	49.3	41.1	29.9	7.2	79.8	68.4	30.8	62.0	26055	2817	48.1	43.5	24.8	7.3	79.1	65.0
CP4444VT2P/RIB	104	30.8	57.9	28094	3037	50.3	38.8	33.3	7.3	80.5	67.6	31.5	62.5	29288	3098	50.2	41.3	29.2	7.2	79.3	68.8
B08J81AMXT	108	30.3	63.8	28327	3114	50.4	41.0	28.6	7.5	79.4	69.1	39.1	68.7	39208	3337	51.2	39.7	30.1	7.3	79.7	71.9
CP4600SSS/RIB	106	30.2	62.7	26537	2936	49.0	43.2	26.0	7.4	78.9	66.7	34.9	62.7	30785	2947	48.9	42.2	27.0	7.2	79.4	66.8
NK0440-3122	104	28.6	61.9	26959	3136	50.1	39.8	31.1	7.5	80.1	69.0	36.8	65.3	34678	3137	49.2	40.2	29.4	7.1	80.2	69.2
CP4819AS3000G1	103	26.3	59.2	23403	2961	49.1	40.8	29.8	7.6	80.0	67.0	32.1	59.9	28167	2920	48.2	40.1	29.8	7.3	80.7	66.4
NK0624-5222	106	26.3	59.2	23231	2958	48.3	40.4	30.7	7.3	80.5	66.9	33.6	62.0	29907	2966	48.2	40.8	29.0	7.1	80.3	67.0
Mn		33.6	61.4	31195	3090	49.3	39.2	31.7	7.2	80.7	68.5	34.4	63.9	32523	3146	49.5	39.8	30.5	7.1	80.3	69.3
LSD(.10)		3.4	2.7	2999	91	0.8	2.4	3.1	0.2	1.3	1.2	2.9	2	2872	130	1.2	1.3	1.3	0.2	1	1.6
CVErr		5.98	2.58	5.658	1.73	1	3.59	5.83	1.86	0.93	1.01	4.99	1.86	5.203	2.429	1.44	1.88	2.5	1.74	0.76	1.39



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE



Relationship Between Yield and Milk/Ton in the S-105 Trial 38,000 ppa at West Salem, Wisconsin




**WINFIELD
UNITED**



Learn more about our brands at
winfieldunited.com


Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2020



WINFIELD UNITED

CROPLAN
By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-105 Trial 30,000 ppa at West Salem, Wisconsin



**WINFIELD
UNITED**

CROPLAN
 By WINFIELD UNITED

Learn more about our brands at
winfieldunited.com


Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

CORN SILAGE

Answer Plot[®]
By WINFIELD UNITED
YIELD REPORT 2020


Location: West Salem, Wisconsin																					
Trial: S-110		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
CP5115SS/RIB	111	41.0	64.6	40321	3278	50.8	39.6	31.6	7.0	79.9	71.1	36.1	66.5	36358	3368	50.8	39.4	31.7	7.1	80.0	72.2
CP5115VT2P/RIB	111	40.4	63.5	40058	3292	50.8	39.0	32.9	7.0	80.2	71.1	37.1	63.2	36918	3311	50.8	38.6	33.6	7.0	80.4	71.3
CP4997VT2P/RIB	109	38.4	64.1	37306	3232	50.7	40.1	31.0	7.0	79.7	70.6	35.8	65.9	35595	3312	50.8	39.9	30.9	7.1	79.8	71.6
P0950Q	109	37.8	64.6	37155	3273	50.8	39.8	31.4	7.0	79.8	71.1	35.5	68.1	35842	3379	50.9	40.0	30.5	7.1	79.6	72.4
DKC62-08RIB	112	37.7	64.0	37560	3323	50.0	39.6	32.9	7.1	80.3	71.0	37.3	64.7	37561	3354	50.2	39.4	32.8	7.1	80.2	71.6
DKC59-07RIB	109	37.5	65.1	36254	3222	51.0	40.4	29.9	7.0	79.4	70.5	33.8	66.2	32973	3251	51.4	40.7	29.2	7.2	79.1	70.9
DKC62-52RIB	112	36.7	63.6	36739	3350	51.2	38.6	33.3	7.5	80.2	71.7	35.4	64.5	35081	3313	51.0	39.8	31.4	7.3	79.7	71.6
NK1026-3330	110	36.7	66.1	36571	3326	50.6	40.2	30.9	7.1	79.7	71.7	33.9	65.8	33428	3274	50.8	40.5	30.1	7.2	79.5	71.1
CP5000SAS3122-P1244AM	112	36.0	66.0	33496	3102	51.1	41.8	26.7	7.3	78.7	69.0	33.8	66.9	30056	2977	51.0	43.1	24.3	7.3	78.0	67.5
CP4895SS/RIB	108	35.4	64.4	35320	3327	51.0	39.4	32.2	7.2	79.9	71.8	32.3	65.4	31981	3302	51.2	39.9	30.7	7.2	79.6	71.5
B08J81AMXT	108	34.4	65.6	34884	3376	50.9	39.0	32.5	7.0	80.2	72.3	32.7	67.7	32652	3336	51.3	39.8	30.5	7.1	79.6	71.9
B08J81AMXT	108	34.3	67.9	33996	3322	51.0	40.9	29.0	7.3	79.2	71.7	34.7	67.0	34132	3285	51.3	41.0	29.0	7.4	79.0	71.3
NK1239-5122	112	34.1	67.8	32678	3203	51.3	42.2	26.9	7.5	78.4	70.3	33.3	67.7	32564	3252	51.5	41.3	27.9	7.3	78.7	70.9
B09T79SX	109	33.6	64.5	29727	2945	50.4	44.6	23.9	7.3	77.6	67.0	35.7	66.3	32162	3007	50.4	44.5	24.0	7.2	77.6	67.8
B09T70SX	109	33.2	66.4	31100	3125	51.0	43.0	26.0	7.4	78.1	69.3	37.3	66.0	36206	3229	51.0	41.0	28.9	7.3	79.1	70.5
P1093Q	110	33.1	66.0	32567	3289	51.0	40.3	30.1	7.3	79.5	71.3	33.8	67.0	33916	3359	50.8	39.2	31.3	7.2	80.1	72.2
DKC61-40RIB	111	32.9	65.7	33098	3361	51.1	39.8	31.5	7.3	79.7	72.0	34.4	68.0	34716	3370	51.4	40.0	30.6	7.1	79.5	72.3
CP5073VT2P/RIB	110	32.8	65.7	34197	3472	51.4	38.0	34.4	7.4	80.5	73.1	32.9	67.5	33679	3402	51.3	40.0	30.8	7.3	79.5	72.8
CP5073SS/RIB	110	31.1	64.2	31490	3387	51.7	38.2	33.8	7.6	80.3	72.3	34.6	66.9	36040	3464	51.6	39.2	32.3	7.3	79.8	73.4
CP6110VT2P/RIB	110	31.1	65.5	30154	3225	51.5	42.1	28.1	7.4	78.4	70.6	29.4	65.6	28141	3180	51.2	41.9	27.9	7.3	78.6	70.0
NK1082-5222A	110	30.6	67.3	31576	3428	51.5	39.5	31.7	7.4	79.7	72.9	30.0	67.9	30943	3434	51.5	40.2	30.7	7.4	79.3	73.1
P1108Q	111	25.6	65.9	25037	3275	52.1	41.3	28.8	7.5	78.6	71.3	34.5	67.8	33672	3254	51.6	41.1	28.5	7.3	78.8	71.0
B10R89AM	110	22.4	66.2	22722	3387	52.5	41.1	29.9	7.7	78.5	72.7	25.9	67.4	25726	3301	51.8	40.4	29.8	7.3	79.1	71.6
Mn		32.9	65.2	32284	3269	51.1	40.5	30.2	7.3	79.3	71	33.7	66.3	33204	3285	51.1	40.5	29.9	7.2	79.3	71.2
LSD(.10)		3.5	2.4	3980	119	0.4	1.6	2.6	0.3	0.8	1.4	3.3	2.4	3356	99	0.4	1.5	2.6	0.1	0.6	1.3
CVerr		6.28	2.17	7.264	2.138	0.51	2.35	5.04	2.04	0.59	1.14	5.79	2.11	5.955	1.774	0.47	2.11	5.22	0.84	0.47	1.04



Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE



Relationship Between Yield and Milk/Ton in the S-110 Trial 38,000 ppa at West Salem, Wisconsin



**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com


Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
 YIELD REPORT 2020



WINFIELD UNITED

CROPLAN
 By WINFIELD UNITED

Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD UNITED
YIELD REPORT 2020

Relationship Between Yield and Milk/Ton in the S-110 Trial 30,000 ppa at West Salem, Wisconsin




WINFIELD UNITED



Learn more about our brands at winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.


© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



CORN SILAGE

Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2020

Relationship Between Yield and NDFD in the S-110 Trial 30,000 ppa at West Salem, Wisconsin



**WINFIELD
 UNITED**

CROPLAN
 By WINFIELD
 UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2020 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.